



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	Lenovo Legion Y27h-30				
Model number *	66F6				
Issue date *	2022/5/28				
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 - P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nur	nber *	66F6	Logo	Lend	WC	
Issue date *		2022/5/28		Leik	,,,	тм
Product environmental attributes - Legal requirements						met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),					
	hydrobro trichloroe concentr	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	lorinated			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	ne 🔀		
P1.6*	Parts wit (see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). at: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🗌		
P1.7*	REACH A	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries	3				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				X
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU and					
P3.2*	https://www.lenovo.com/us/en/compliance/uk-doc for UK The product complies with the Eco design requirements for energy-related products,					
1 0.2		al reference).			ш	ш
	Required information is; given in item P15 or added to this document,			\boxtimes		
	available at (add URL):					
	https://w	ww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	•	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature	of the material	(s) 🔀		
P5.3*	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
		t: Legal reference has no maximum concentration values.				
		nt information				
P6.1*	Information	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		66F6	Logo	_en	01/6	1	
Issue date * 20		2022/5/28		_en) TM	
Product	environ	mental attributes - Market requirements (See General NOTE GN b	pelow)				
	- Environmental conscious design Requirement met						
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design	mbly, recycling					
P7.1*		t have to be treated separately are easily separable				П	
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		$\overline{\boxtimes}$	$\overline{\Box}$	$\overline{\Box}$	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.					
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes	
P7.8*	Upgradir	ng can be done using commonly available tools				\boxtimes	
P7.9	Spare pa	arts are available after end of production for: 7 years					
P7.10	Service i	s available after end of production for: 7 years					
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
D7 40		<u>,,</u>	I type: AI	_			
P7.12		n materials of external electrical cables are PVC free.		<u> </u>			
P7.13		n materials of internal electrical cables are PVC free.		Ц_		Ц.	
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔲 are low halogen						
P7.16		ed in IEC 61249-2-21. (See 1NOTE B2) tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.10	Marking:			Ш	Ш		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	mponents):				
	TBBF	PA (additive), ☑TBBPA (reactive) (See NOTE B3), ☐Other: , CAS #:					
	Alt. 2: Cl	nemical specifications of flame retardants in printed circuit boards (without compone	nts) > 25 g	_	_		
		g ISO 1043-4:					
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%:	s/preparations in			\bowtie	
		ical name: , CAS #: (See NOTE B4)		Ш	ш		
	2. Chem	ical name: , CAS #: "					
	3. Chem	ical name: , CAS #: "					
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:			\boxtimes	
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been				
	assigned	I the following Risk phrases; and Hazard statements:				_	
			ee note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		X			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 82.8%.(EPEAT Calculation)/85%(TCO Calculation)

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

If YES; at least one of the two alternatives below shall be answered;

The weight of recycled material is 974.61 g.

or

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	66F6	Logo	Lend	21/0	
Issue date *	2022/5/28		Leik		тм
Product environr	mental attributes - Market requirements (continued)		Require	emen	t met
Item		-	Yes	Nο	n a

D7.04*		stance requirements	•	IOTE DZ'			
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):					J	
	If YES; at least one of the two alternatives below shall be answered;						
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
	total plastic by weight) is 0%.						
	or b) The weight of the biobased plastic material is <i>0</i> g.						
P7.22*	, ,		less than 0,1 mg/lamp	1		_	
1 7.22	•	specify: Number of lar		num mercury content p		J	
P8	Batteries	<u> </u>	<u>'</u>	<u> </u>	, , , , , , , , , , , , , , , , , , ,		
P8.1*	Battery chemical of	composition:			X	Γ	
P9	Energy consump	tion (See NOTE B8)				Ė	
P9.1		<u> </u>	ls or energy consumpti	ions are reported:			
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	Г	
		100 V AC	115 V AC	230 V AC	modes and test method *		
Peak (On-	max)	25.08 W	25.11 W	24.54 W	ENERGY STAR Program		
					Requirements for Displays		
Cotomor					Version 8.0		
Categor	<u>y</u>						
Sleep (S3)	- WOL Enabled	0.31 W	0.31 W	0.32 W	ENERGY STAR Program		
					Requirements for Displays		
					Version 8.0(P _{sleep})		
Off (S5) - I	WOL Enabled	0.27 W	0.27 W	0.28 W	ENERGY STAR Program		
, ,					Requirements for Displays		
					Version 8.0(P _{off})		
PTEC *		W	W	W		1	
Typical Energy Consumption						1	
ETEC *		79.04 kWh/year	78.63 kWh/year	76.91 kWh/year	ENERGY STAR Program	Г	
Annual Energy Consumption					Requirements for Displays		
					Version 8.0		
F	C Efficien		I Efficience Medica De	-41\ * .		_	
	,	,	I Efficiency Marking Pr	otocol) " :		_	
	solution * : 2560*14						
Default tim	e to enter energy sa	ave mode: 0.25 minute	es .				
P9.2*	Information about	the energy save functi	on is provided with the	product.		Г	
P9.3	The product meets	s the energy requireme	ents of the following vo	luntary/s:			
		ersion:8.0 Product cat	egory: Display .				
P10	Emissions						
D40.4			o ISO 9296 (See NOTE		;(A) ; (J) (D)		
P10.1	Mode N	Mode description		statistical upper lim	nit A-weighted sound power level, $L_{WA,c}$ (B)	_	
	Operation *	•				<u> </u>	
	Other mode	Declared A-weighted soun	od pressure level (dB) $L_{p m Ar}$	n (operator po	osition desktop – idle)		
	Measured according to: SO 7779 ECMA-74						
		Other	(only if not covered by	y ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nui	mber *	66F6				Logo	Long	V/0	
Issue date	*	2022/5/28					Leno	VO.	
Product	environr	nental attributes - N	Market requirement	ts (continued)			Require	ment	met
Item							Yes	No	n.a.
	Electron	nagnetic emissions							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary								
	program	s):							
P12		nics for computing p							
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.								
P12.2*	The phys	ical input device meet	s the requirements of I	ISO 9995 and ISO 9	241-410.				\boxtimes
P13	Packagi	ng and documentatio	n						
P13.1*		oackaging material typ							
		packaging material typ							
		packaging material type		weight (kg):	0.07				
P13.2*	Product	olastic primary packagi	ing is free from PVC.				\boxtimes		
P13.3*		uct primary corrugate r recovered fiber conte		ng, specify the conta	ained percentage	of minimum po	st-		
P13.4*	Specify I	nedia for user and prod	duct documentation (ti	ck box):					П
	⊠Electronic, □Paper, □Other								
P13.5	(Please only complete this item if paper documentation used)								
	User and product documentation on paper media is chlorine-free:								
	If Yes, please specify:								
	Totally chlorine-free								
	Elemental chlorine-free								
	Processed chlorine-free								
D4.4									
P14 P14.1		y programs	anda of the fallowing.	(ali internal programano (a)					
P14.1	The prod	uct meets the requiren	nents of the following v	voluntary program(s)	:				
	ENERG	STAR® C	riteria version:	Date:	Product c	ategory:			
	Eco-labe		Criteria version:	Date:	Product c	· ,			
	Eco-labe		criteria version:	Date:	Product c	· ,			
P15	Addition	al information (See N	IOTE B10)			- J			
P9	Energy	consumption of spec	ific configuration ma	y vary; description	of the tested pro	duct configura	tion:		
		upplier makes no rep						regaro	ling
		mation contained in							
	supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such								
	information. The information provided here is approximate and provided for informational purposes only. See a Lenovo							VO	
	Account Representative for more information.								
P9		rgy Star Qualified No					_		
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1