



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0			
Company name *	Lenovo		_			
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name *	Lenovo Legion Y32p-30			
Model number *	66F9			
Issue date *	2022/09/14			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		66F9		Long	21/0	
Issue date * 2022/09/14		2022/09/14		Lend		
Product environmental attributes - Legal requirements				ment met		
Item				Yes	No n.a.	
P1		ous substances and preparations	. =			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	Products do not contain Asbestos (see legal reference).					
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
P1.3		onofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-			
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated			
D4 5*		PCT) in preparations (see legal reference).				
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀	Ш	
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	k 📗		
		al reference).				
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail ovww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU;					
	https://www.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).					
	Required information is; given in item P15 or added to this document,					
	available at (add URL):					
	https://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium ar	nd 🔀		
P5.2*		caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material(s) 🔀		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	Montreal Protoc	ol 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		66F9 Logo	on	01/0		
Issue date *		2022/09/14	_en	JVC	_{TM}	
Product environmental attributes - Market requirements (See General NOTE GN below)						
	- Environmental conscious design				met	
Item						
P7	7 Design Disassembly, recycling					
P7.1*						
P7.2*					Ħ	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.				\forall	
P7.4*				一	\pm	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\mathbb{X}}$	旹	Ħ	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$	Ħ	\pm	
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools			X	
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS Material type: PC Material type: METAL n materials of external electrical cables are PVC free.			$\overline{}$	
P7.12			 		+	
P7.13	Insulation materials of internal electrical cables are PVC free. External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%					
F1.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and					
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing					
D7 45		n 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated flame retardant, CAS #:					
	26265-0	3-7				
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: <i>FR4</i>				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in				
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)		Ш		
		ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "				
		ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\overline{}$	Ħ	$\overline{\boxtimes}$	
	assigned the following Risk phrases; and Hazard statements:					
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				
	If YFS: a	t least one of the two alternatives below shall be answered;				
	a) Of t	otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 82.2%.				
	or b) The	weight of recycled meterial is 4244.94 a				
	b) The	e weight of recycled material is 1344.84 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	66F9	Logo	Lonovo	
Issue date *	2022/09/14		Lenovo.	
Product environr	nental attributes - Market requirements (continued)		Requirement met	
Item			Yes No n.a.	

D7.04*		stance requirements		OTE DZ):					
P7.21*									
	If YES; at least one of the two alternatives below shall be answered;								
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 								
	or	by weight) is 70.							
		of the biobased plastic n	naterial is g.						
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
Do	If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg								
P8 P8.1*	Batteries Battery chemical	composition:			\square				
		•							
P9		ption (See NOTE B8) ne following power levels	e or energy consumpti	one are reported:					
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy				
		100 V AC	115 V AC	230 V AC	modes and test method *				
CEC® On	Mode*(System	40.01 W @ 50Hz	39.85 W @ 60Hz	38.10 W @ 50Hz					
Idle)		40.03 W @ 60Hz			ENERGY STAR Displays V8.0)				
CEC® Low	V Power Sleep	0.36 W @ 50Hz	0.37 W @ 60Hz	0.39 W @ 50Hz					
Mode*	VI OWEI OICCP	0.37 W @ 60Hz	0.07 11 @ 001.12		ENERGY STAR Displays V8.0				
		0.0014/ 0.5011	0.0014/ 0.0011	0.0014/ 0.5011					
	/ Apparent Off	0.30 W @ 50Hz 0.30 W @ 60Hz	0.30 W @ 60Hz	0.30 W @ 50Hz	ENERGY STAR Displays V8.0				
Mode*		0.30 W @ 00112							
PTEC *		W @ 50Hz	W	W					
Typical Energy Consumption		W @ 60Hz							
ETEC *	ergy Consumption	124.72 kWh/year @ 124.29 kWh/year 50Hz		119.04 kWh/year	ETEC = 8.76 x (Pon x 0.35 + Psleep x 0.65)				
Allilual Elle	ergy Correctinguon	124.84 kWh/year @			rsieep x 0.00)				
		60Hz							
				<u></u>					
		ncy Level (International	Efficiency Marking Pro	otocol) *:/					
Display res	olution * : 8.29 me	gapixels							
Default time	e to enter energy s	ave mode: 0.33 minutes	S						
P9.2*	Information about	the energy save function	on is provided with the	product.					
P9.3	Energy efficiency	class (monitors only): F							
P10	Emissions								
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1		Mode description		Statistical upper limit A-weighted sound power level, L _{WA,c} (B)					
	Idle	*		*					
	Operation	*		*					
		Declared A-weighted sound		(operator position desktop – idle)					
Other mode			d pressure level (dB) $L_{p m Am}$	(operator po	osition desktop – operating)				
	Measured according to: ISO 7779 ☐ ECMA-74								
	Other (colly if not covered by ECMA-74)								

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nun	nber *	66F9			Logo	Long	1/0	
Issue date *		2022/09/14				Leno		
Product environmental attributes - Market requirements (continued) Requirement n							met	
Item				•		Yes	No	n.a.
	Electron	nagnetic emissions	3					
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): /							
P12		mics for computing						
P12.1*		,	omic requirements of ISO 92	<u> </u>	,	\boxtimes		
P12.2*	The phys	sical input device me	ets the requirements of ISC	9995 and ISO 9241-41	10.			\boxtimes
P13		ng and documentat						
P13.1*	Product packaging material type(s): Corrugated paper(BE flute)(Carton)weight (kg): 2.626 Product packaging material type(s): Corrugated paper (cushion) Product packaging material type(s): EPE+PO (bag) Product packaging material type(s): Plastic-EPP(tape) Product packaging material type(s): Paper(Label) Weight (kg): 0.001 Weight (kg): 0.001							
P13.2*	Product	plastic primary packa	aging is free from PVC.			\boxtimes		
P13.3*	consume	er recovered fiber cor			percentage of minimul	m post-		
P13.4*		media for user and pı ronic, ⊠Paper, ⊡C	roduct documentation (tick b Other	oox):				
P13.5	Ùser and		em if paper documentation ution on paper media is chlor					
	Totally chlorine-free Elemental chlorine-free							
	Processed chlorine-free							
P14		ry programs						
P14.1	The prod	luct meets the requir	rements of the following volu	ıntary program(s):				
	Low Blue light (Hardware) Criteria version: 2.0 Date:2022-06-28 Product category: LCD monitor Eye comfort Criteria version: 1.0 Date:2022-07-27 Product category: LCD monitor Eye safe Criteria version: 2.0 Date:2022-07-01 Product category: LCD monitor							
P15		nal information (See						
P9			ecific configuration may v					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO							
	nup://w	ww.energystar.gov/	muex.cmrruseacu0n=nn	u_a_product.snowPro	ouucioroupapyw_coo	16-CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1