



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		_enovo		
e-mail address	Alvin L Carter				
	alcarter@lenovo.com				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name *	Lenovo D24-40, C24-40,D24-45			
Model number *	67A2,63DC,67A4			
Issue date *	2022/09/19			
Intended market * Slobal Europe Asia, Pacific & Japan Americas Other				
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		67A2, 63DC, 67A4		Long	N/6	
Issue date *		2022/09/19		Lend	ρVO	TM .
Product environmental attributes - Legal requirements			Require	ment	met	
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).			\boxtimes		
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		<u> </u>	$\overline{}$	
P1.3"	hydrobro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
	concentr	ation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes	\Box	
	https://v	www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	,			
P2	Batterie					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				\boxtimes	
P3	Conformity verification & Eco design (ErP)					
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU https://www.lenovo.com/us/en/compliance/uk-doc for UK						
P3.2*		www.lenovo.com/us/en/compliance/uk-doc for UK fuct complies with the Eco design requirements for energy-related products,		\boxtimes	$\overline{}$	\Box
		al reference).			ш	
	Required information is; given in item P15 or added to this document,					
	🔀 available at (add URL):					
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and Ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and ambient contain more than 0,01% lead, mercury, cadmium and 0,01% lead, mercury, cadm					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature α e legal reference).		. ,		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
DC.	Comment: Legal reference has no maximum concentration values.					
P6.1*	Treatment information					
۳۵.۱"	ııııormatı	on for recyclers/treatment facilities is available (see legal reference).				Ш

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wodel number *		6/A2, 63DC, 6/A4	Logo	Len	01/0	
Issue date *		2022/09/19		Len		тн
- Enviro		mental attributes - Market requirements (See General NOTE GN lonmental conscious design		Require	ment r	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			Yes	No	n.a.
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	7.2* Plastic materials in covers/housing have no surface coating.			Ħ	X	
P7.3* Plastic parts > 100 g consist of one material or of easily separable materials.						
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		X	Ħ	
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		H	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			\dashv	
	Product	, i i i i i i i i i i i i i i i i i i i				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			П	
P7.8*		ng can be done using commonly available tools			Ħ	X
P7.9		arts are available after end of production for: 7 years				
P7.10		s available after end of production for: 7 years				$\overline{}$
		and substance requirements				
P7.11*	Product Material	cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>PC</i> Materia	al type: METAL			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\overline{\boxtimes}$	
P7.14						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:					
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations i	n 🔲		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4·			\square
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			\dashv	
	assigned the following Risk phrases; and Hazard statements:					
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*						
	a) Of t a pe	at least one of the two alternatives below shall be answered; cotal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 82.93% weight of recycled material is 668.02g	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	67A2, 63DC, 67A4	Logo	Lenovo		
Issue date *	2022/09/19		Len) _{TM}
Product environmental attributes - Market requirements (continued)			Requir	emen	t met
Item			Yes	No	n.a.

	Matarial and and		(ti				
P7.21*		stance requirements		TE R7\·			
1.21						ш	
			of the two alternatives below shall be answered;				
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 						
	total plastic by weight) is %. or						
	b) The weight of the biobased plastic material is g.						
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp.		\square		
		I specify: Number of lar	nps: and maxin	num mercury content			
P8	Batteries						
P8.1*	Battery chemical composition:						
P9		ption (See NOTE B8)					
P9.1			s or energy consumption				
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy		
Catanan		100 V AC	115 V AC	230 V AC	modes and test method *		
Categor	<u>y</u>						
CEC® On	Mode* (System	13.55 W @ 50Hz	13.52 W @ 60Hz	13.56 W @ 50Hz	CEC-Title 20. Public Utilities		
Idle)		12 54 W @ 60Hz			and Energy@Section		
		13.54 W @ 60Hz			1605.3(v)(4)		
CEC® Low	Power Sleep	0.14 W @ 50Hz	0.14 W @ 60Hz	0.19 W @ 50Hz	CEC-Title 20. Public Utilities		
Mode*		0.14 W @ 60Hz			and Energy@Section		
		0114 11 @ 00112			1605.3(v)(4)		
CEC® Off	/ Apparent Off	0.11 W @ 50Hz	0.11 W @ 60Hz	0.14 W @ 50Hz	CEC-Title 20. Public Utilities		
Mode*		0.11 W @ 60Hz			and Energy@Section		
		0.11 W @ 00HZ			1605.3(v)(4)		
PTEC *		W @ 50Hz	W	W		\boxtimes	
	ergy Consumption	W @ 60Hz					
ETEC *		42.34 kWh/year @	42.25 kWh/year	42.66 kWh/year	ETEC = 8.76 x (Pon x 0.35 +		
Annual Ene	ergy Consumption	50Hz			Psleep x 0.65)		
		42.31 kWh/year @ 60Hz					
		00112	1				
External Po	ower Supply Efficie	ncy Level (International	Efficiency Marking Pro	tocol) *:		X	
Display res	olution * : 2.07 me	gapixels		<u> </u>		Ħ	
		ave mode: 0.25 minute	s		+		
P9.2*			on is provided with the	product		╫	
P9.3		**	· · · · · · · · · · · · · · · · · · ·	product.			
P9.3	Energy emclency	class (monitors only):			Erp lot5 (EU) 2019/2013	Ш	
P10	Emissions				2013/2010		
		- Declared according to	ISO 9296 (See NOTE	B9)			
P10.1		Mode description	,		it A-weighted sound power level, $L_{WA,c}$	(B)	
	Idle	*		*	<u> </u>		
	Operation	*		*		X	
		Declared A-weighted soun	d pressure level (dB) 1	(operator po	osition desktop – idle)	<u>~</u>	
			d pressure level (dB) $L_{p \text{Am}}$				
	Outer mode	Deciding A-weighted south	p pressure rever (ub) L pAm	(operator position desktop – operating)			
	Measured accord	ing to: ISO 7779	ECMA-74				
		Other	(only if not covered by	ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	67A2, 63DC, 67A4 Logo	one		
Issue date	*	2022/09/19	Leno	VO.	
Product 6	environr	nental attributes - Market requirements (continued)	Require	ment	met
Item		·	Yes	No	n.a.
	Electron	nagnetic emissions			
P10.4	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary (s):			
P12		nics for computing products			
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13		ng and documentation			
P13.1*	Product Product Product Product	packaging material type(s): Corrugated packaging material type(s): EPS Cushion packaging material type(s): EPE Bag packaging material type(s): plastic EPP tape packaging material type(s): paper label weight (kg): 0.061 weight (kg): 0.001			
P13.2*	Product	plastic primary packaging is free from PVC.	\boxtimes		
P13.3*	consume	luct primary corrugated fiberboard packaging, specify the contained percentage of minimum poser recovered fiber content: 90%	t-		
P13.4*		media for user and product documentation (tick box): ronic,			
P13.5	Ùser and	only complete this item if paper documentation used) I product documentation on paper media is chlorine-free: lease specify:			
	Totally c	hlorine-free			
	Element	al chlorine-free			
	Process	ed chlorine-free	$\overline{\boxtimes}$		
P14	Volunta	ry programs			
P14.1	The prod	duct meets the requirements of the following voluntary program(s):			
	ISO9241 Eye con				
P15	Addition	nal information (See NOTE B10)			
P9		consumption of specific configuration may vary; description of the tested product configurati			
	the info	Supplier makes no representations, guarantees, assurances or warranties whether express or rmation contained in this document. All information provided by supplier in this document is 's knowledge available at the time of completion, and supplier shall have no obligation to upo tion. The information provided here is approximate and provided for informational purposes of t Representative for more information.	provided l late such	based	on

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1