

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter	LEI IOVO.				
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo G27q-30, G27-30				
Model number *	66 <i>E</i> 8, 66 <i>E</i> 7				
Issue date *	2021/12/20				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	66E8, 66E7	Logo	Long		
Issue date *		2021/12/20		Lena	JVC	
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		¥ i		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\square$		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	$\square$		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	•		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\boxtimes$		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			$\boxtimes$
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal				$\boxtimes$	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					$\boxtimes$
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec https://w	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): <a href="https://www.lenovo.com/us/en/compliance/uu-doc">www.lenovo.com/us/en/compliance/uu-doc</a> for EU <a href="https://www.lenovo.com/us/en/compliance/uu-doc">www.lenovo.com/us/en/compliance/uu-doc</a> for UK	jal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products,		$\square$		
1 0.2		al reference).				
	Required information is; given in item P15 or added to this document,					
	https://	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium an	d 🖂		
		ent chromium by weight of these together.	,,u			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature over legal reference).	of the material(s	;)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		ol 🔀			
	· · · ·	nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	66E8, 66E7 Logo			
lssue da	ate *	2021/12/20	Len	ove	<b>)</b>
Produc	t environ	mental attributes - Market requirements (See General NOTE GN below)			
			Require	ment	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design				
P7.1*		mbly, recycling It have to be treated separately are easily separable			
				<u> </u>	-님
P7.2*		naterials in covers/housing have no surface coating.		<u> </u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.		<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$		
	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*		ng can be done using commonly available tools	$\square$		
P7.9		arts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):			
		type: ABS Material type: PC Material type: Steel type: Aluminum Material type: Material type:			
P7.12		n materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13		n materials of internal electrical cables are PVC free.	-#-		
P7.14		plastic casing/cover parts > 25 g contain no more than $0,1\%$ weight (1000 ppm) bromine and $0,1\%$			
	weight ( polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing in 25% post-consumer recycled content.	_		
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g □ are low halogen ad in IEC 61249-2-21. (See 1NOTE B2)		$\square$	
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\square$		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	$\square$		
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g			_
		g ISO 1043-4:			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)		$\bowtie$	
		ical name: , CAS #: "			
		ical name: , CAS #: "			
	Alt 2. Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		$\square$	
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	-#-		
	-	I the following Risk phrases; and Hazard statements:			
	Ũ	rce(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	$\square$		
	If VES: a	t least one of the two alternatives below shall be answered;			
	ii YES; a a)	Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated			
	b)	as a percentage of total plastic by weight) is 82.1%. (EPEAT calculation) / 82% (TCO calculation)			
	b) or				
	c)	The weight of recycled material is 714.26 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	66E8, 66E7	Logo	Lenovo
Issue date *	2021/12/20		Lenovo.
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

	Material and substance requirements (continued)							
P7.21*	Biobased plastic n	naterial content is used in	the product (See NOT	E B7):				
	If YES; at least one of the two alternatives below shall be answered;							
	total plastic by weight) is <i>0</i> %. or							
	b) The weight of the biobased plastic material is 0g.							
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
P8	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg Batteries							
P8.1*	Battery chemical of	omposition:						
P9	,	tion (See NOTE B8)						
P9.1		e following power levels of	r energy consumptions	are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for			
55		100 V AC	115 V AC	<b>230</b> V AC	energy modes and test method *			
ENERGY S (System Id	STAR® On Mode*	<b>21.4</b> W	21.5 W	21.92 W	ENERGY STAR Displays			
	·							
ENERGY S Power Sie	STAR® Low ep Mode*	0.28 W	0.28 W	0.31 W	ENERGY STAR Displays			
ENERGY S	STAR® Off /	0.26 W	0.26 W	0.28 W	ENERGY STAR Displays			
Apparent (	Off Mode*				V8			
ETEC *		67.21 kWh/year	67.51 kWh/year	68.94 kWh/year	ENERGY STAR Displays			
Annual Energy Consumption					V8			
External Da		 	ficianay Marking Drota					
	,	cy Level (International Ef	nciency marking Proto					
Display res		0x1440						
	87	ive mode: 1 minutes						
P9.2*		the energy save function i	•					
P9.3		the energy requirements version: 8.0 Product cate	tary program/s:					
P10	Emissions							
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1		Mode description Statistical up			upper limit A-weighted sound power level, <i>L</i> <sub>WA,c</sub> (B)			
	Idle *	*						
	Operation *			*				
		Declared A-weighted sound pr		(operator position de	. ,			
	Other mode	eclared A-weighted sound pr	ressure level (dB) L <sub>p</sub> Am	(operator position desktop – operating)				
	Measured according to: 🔄 ISO 7779 💭 ECMA-74							
		Other (or	nly if not covered by E	JMA-74)				

Yes

No

n.a.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	66E8, 66E7				Logo	Long		
lssue da	te *	2021/12/20					Leno	VO.	
Product	t environr	nental attribut	es - Market requirement	s (continued)			Require		net
ltem							Yes	No	n.a.
		magnetic emissi							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary								
P12		mics for comput							
P12.1*	The disp	play meets the ere	gonomic requirements of ISC	) 9241-307 for visual d	isplay technolo	gies.	$\square$		
P12.2*	The phy	sical input device	meets the requirements of I	SO 9995 and ISO 924	1-410.		$\square$		
P13	Packagi	ing and docume	ntation						
P13.1*	Product Product	packaging mater packaging mater	ial type(s): <i>EPS(Cushion)</i> ial type(s): <i>Corrugated</i> we ial type(s): <i>EPE Bag</i>	weight (kg): 0.4 ight (kg): 1.006 weight (kg): 0.4					
P13.2*	Product	plastic primary pa	ackaging is free from PVC.				$\boxtimes$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-								
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
		hlorine-free							
		al chlorine-free					$\bowtie$		
	Process	ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	duct meets the re	quirements of the following v	oluntary program(s):					
	ENERG	Y STAR®	Criteria version:	Date:	Product	category:			
	Eco-labe		Criteria version:	Date:		category:			
	Eco-labe		Criteria version:	Date:		category:			
P15	Additio	nal information (	See NOTE B10)						
<b>P</b> 9			specific configuration may	y vary; description of	f the tested pr	oduct confid	guration:		
	NOTE: S the info supplie informa	Supplier makes i rmation contain r's knowledge av tion. The inform	no representations, guara ed in this document. All in vailable at the time of com ation provided here is app e for more information.	ntees, assurances or formation provided b pletion, and supplier	warranties wh y supplier in t shall have no	ether expre his docume obligation t	ss or implied, I nt is provided I o update such	based o	on
<b>P9</b>	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1