



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	conforms to the statements given in this declaration.				
Type of product * Monitor					
Commercial name *	Lenovo Q27h-20				
Model number *	66ED				
Issue date *	2022/2/23				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * 66ED Logo		Logo	Long			
Issue date	date * 2022/2/23		Lend	JVC	TH.	
Product	roduct environmental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*						
	hydrobro trichloroe	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/weel	(
P1.7*	REACH.	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*	reference) Batteries and accumulators are readily removable. (See legal reference)			$\overline{}$		
P3	Batteries and accumulators are readily removable. (See legal reference) Conformity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	ral reference)		$\overline{}$	
F 3 . 1	The D		mail address			
		vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is;		\boxtimes		
		⊠available at (add URL):				
		vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).		s) 🔀			
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In the control of the cont	nontreal Protoc	ol 🔀		
P6		nt information				
		on for recyclers/treatment facilities is available (see legal reference).				
. 5	ommati	en les responses a caminos le divandes (este legal resolution).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	66ED	Logo	Lon	01/6	1	
Issue date *		2022/2/23		Len		ТМ	
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)				
		onmental conscious design		Require		met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design Disasse	mbly, recycling					
P7.1*		t have to be treated separately are easily separable					
P7.2*	Plastic m	naterials in covers/housing have no surface coating.					
P7.3*							
P7.4*							
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives			Ц_		
P7.8*		g can be done using commonly available tools					
P7.9		arts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	al tuma.				
P7.12		type: ABS Material type: PC Material number of external electrical cables are PVC free.	al type:		\square		
P7.13		n materials of external electrical cables are PVC free.				₩	
P7.13		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romino and 0.10/			 	
77.14	weight (* polyvinyl	plastic cashighcover parts > 23 g contain no more than 0,1% weight (1000 ppm) in 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, and				
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗔 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloger	n 🗌			
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):				
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:		\boxtimes	Ш		
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations in	1			
		ations above 0,1%:				\boxtimes	
		ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "					
		ical name: , CAS #: "					
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\square	
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which		$\overline{}$	$\overline{\Box}$	\overline{X}	
	•	I the following Risk phrases; and Hazard statements:					
	_		See note B5)				
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	,	\boxtimes			
	a) Of t a pe or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conterpresentage of total plastic by weight) is 8.42 %. (EPEAT calculation) / 85% (TCO consequents)					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	66ED	Logo	Len	01/0	
Issue date *	2022/2/23		Len		V _{TM}
Product environr	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

P7.21*	Material and subs				D7\·			
F1.Z1	Biobased plastic material content is used in the product (See NOTE B7):							
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. 							
	or							
	b) The weight of the biobased plastic material is 0 g. Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
P7.22*	If mercury is used s				mercury content pe	r lamp: mg		
P8	Batteries	opoony. Harrison	or idilipo.	and maximum	nordary contone por	mg		
P8.1*	Battery chemical co	omposition:						\square
P9	Energy consumption (See NOTE B8)							
P9.1	For the product the following power levels or energy consumptions are reported:							
Energy mo	de *	Power level at 100V 50HzAC	Power level at 100V /60Hz	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for en modes and test method *	ergy	
ENERGY S (System Id	STAR® On Mode* le)	18.91	18.92	18.93	18.96	ENERGY STAR Displays V8	3.0	
ENERGY S Sleep Mode	STAR® Low Power e*	0.55	0.55	0.55	0.60	ENERGY STAR Displays V8	3.0	
ENERGY S Apparent C	STAR® Off / Off Mode*	0.25	0.25	0.25	0.29	ENERGY STAR Displays V8	3.0	
PTEC * Typical Ene	ergy Consumption	W	W	W	W			
ETEC * Annual Energy Consumption		61.11 kWh/year	61.14 kWh/year	61.16 kWh/year	61.55 kWh/year	$E_{TEC} = (8760/1000) \times (P_{sleep} \times 0.65 + P_{On} \times 0.35)$		
External Po	ower Supply Efficien	cy Level (Interna	itional Efficiency	Marking Protoco	ol) * :			\boxtimes
Display res	solution* : 2560*144	10 megapixels				ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
Default time	e to enter energy sa	ve mode: 15 sec	onds			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
P9.2*	Information about t	he energy save	function is provid	ded with the prod	luct.			
P9.3*	The product meets ENERGY STAR®				ry program/s:			
P10	Emissions							
	Noise emission -							
P10.1	Mode	Mode description	on	S	tatistical upper limit	A-weighted sound power level	, $L_{WA,c}$	(B)
	Idle	* HDD: Idle	_	*				
	Operation	* HDD: Operat		*				
	Other mode	Declared A-weighted sound pressure level (dB) (operator position desktop – idle) $L_{p \text{Am}}$						
	Other mode $ \begin{array}{c} \textit{Declared A-weighted sound pressure level (dB)} \\ L_{p \text{Am}} \end{array} $			e level (dB)	(operator position desktop – operating)			
	Measured according	ng to: ISO 77	_	4 t covered by ECI	MA-74)		-	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	mber *	66ED Logo	Long		
Issue date	*	2022/2/23	Leno	VO.	
Product	environr	mental attributes - Market requirements (continued)	Require	ment	met
Item			Yes	No	n.a.
	Electron	magnetic emissions			
P10.4		er display meets the requirement for low frequency electromagnetic fields of the following voluntary	· 🗆		
P12	Ergonoi	mics for computing products			
P12.1*		olay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13		ing and documentation			
P13.1*	Product Product	packaging material type(s): Carton Box packaging material type(s): paper+pulp packaging material type(s): Bag packaging material type(s): weight (kg): 0.05 packaging material type(s): weight (kg):			
P13.2*	Product	plastic primary packaging is free from PVC.			
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentage of minimum per recovered fiber content: 90%	ost-		
P13.4*		media for user and product documentation (tick box): cronic, Paper, Other			
P13.5	Ùser and	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: lease specify:			
	,	chlorine-free	\boxtimes		
	Element	al chlorine-free			
	Process	ed chlorine-free			
P14		ry programs			
P14.1	ENERG' TCO Eco-labe				
P15		nal information (See NOTE B10)			
P9		consumption of specific configuration may vary; description of the tested product configuration			
	the info supplied informa	Supplier makes no representations, guarantees, assurances or warranties whether express rmation contained in this document. All information provided by supplier in this document i r's knowledge available at the time of completion, and supplier shall have no obligation to u tion. The information provided here is approximate and provided for informational purposes to Representative for more information.	is provided l pdate such	based	on
P9	See Ene	ergy Star Qualified Monitors & Displays for the latest information: www.energystar.gov/products/office_equipment/displays			
L					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1