



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo	<u> </u>			
Contact information *	Lenovo Global Environmental Affairs	Lenovo			
e-mail address	Alvin L Carter	LCI IOVO,			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	ThinkBook 14s 2 nd Gen ITL / Zhaoyang K4 ITL / Lenovo Wei6s 14 ITL / ThinkBook K4 ITL				
Model number *	20VA,82E8,82E4,82NS				
Issue date *	2020/8/19, updated 2022.11.14				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	20VA,82E8,82E4,82NS	Logo	Lanava
Issue date *	2020/8/19, updated 2022.11.14		LEI IOVO.

Product	environmental attributes - Legal requirements	Require	men	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
1 1.4	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	• 🛛		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\boxtimes		
	(see legal reference).			
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		Ш
	http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	X		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document,			
			ш	
DE	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging	1	_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco	ol 🔀		
	(see legal reference).			
DC	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information		_	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20VA,82E8,82E4,82NS	Logo	Lenovo
Issue date *	2020/8/19, updated 2022.11.14		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
1 Todao		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			X
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			\boxtimes
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\boxtimes}$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$		
P7.9	Spare parts are available after end of production for: 5 years			Ī
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):)			
	Material type: PC+ABS Material type: Aluminur			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			\boxtimes
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.	d .		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	☐TBBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☐ Other: DOPD, CAS #: 35948-25-5	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: NA			\boxtimes
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1		
	concentrations above 0,1%:	\boxtimes		
	1. Chemical name: , CAS #: 25971-63-5 (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
D7 40		- -	<u> </u>	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		Ш	\boxtimes
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):			
1 7.20	i octobriodino, robyblod plastic material content is used in the product (oce note bo).		Ш	\boxtimes
1	If YES; at least one of the two alternatives below shall be answered;			
1	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 2.5%. or			
1	b) The weight of recycled material is 2.6 <i>g</i>			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20VA,82E8,82E4,82NS	Logo	Lenovo
Issue date *	2020/8/19, updated 2022.11.14		LEI IOVO.

Product environmental attributes - Market requirements (continued)	Requir	remen	nt met
Item	Yes	No	n.a.

	Material and subs	stance requirements	(continued)		
P7.21*	Biobased plastic m	naterial content is used	d in the product (See	NOTE B7):	
	Of total plastic by total plastic by	e of the two alternative c parts' weight > 25 g, y weight) is 0%.		wered; material content (calcula	ated as a percentage of
	or b) The weight of	the biobased plastic i	material is a.		
P7.22*	Light sources are f	ree from mercury, i.e. specify: Number of lar	less than 0,1 mg/lam	np. imum mercury content p	er lamp: mg
P8	Batteries				
P8.1*	Battery chemical c	omposition: Lithium I	on/Lithium Mangan	ese Dioxide	
P9	Energy consump	tion (See NOTE B8)			
P9.1	For the product the	e following power leve	ls or energy consump	otions are reported:	
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy
		100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-	max)	65 W	65 W	65 W	Full load
Categor	<u>y 1</u>				
Short Idle Enabled	State - WOL	5.184W	5.556W	5.736W	Use for ENERGY STAR V8.0 registration (P _{idle})
Long Idle Enabled	State - WOL	0.732W	0.744W	0.768W	Use for ENERGY STAR V8.0 registration (Ptdle)
Sleep (S3)	- WOL Enabled	0.732W	0.744W	0.768W	Use for ENERGY STAR V8.0 registration (Psleep)
Off (S5) - I	WOL Enabled	0.216W	0.228W	0.252W	Use for ENERGY STAR V8.0 registration
Off (S5) - I	WOL Disabled	0.216 W	0.228W	0.252 W	Use for ErP
Categor	y <u>2</u>				
Short Idle Enabled	State - WOL	7.35 6 W	7.596W	7.884W	Use for ENERGY STAR V8.0 registration (P _{idle})
Long Idle Enabled	State - WOL	0.888W	0.648W	0.852W	Use for ENERGY STAR V8.0 registration
Sleep (S3)	- WOL Enabled	0.888W	0.648W	0.852W	Use for ENERGY STAR V8.0 registration
Off (S5) - I	WOL Enabled	0.228W	0.252W	0.252 W	Use for ENERGY STAR V8.0 registration
	WOL Disabled	0.228W	0.252W	0.252 W	Use for ErP
EPS No-lo	ad supply / charger plugged in the sconnected from the product.)	0.03 W	0.03 W	0.04 W	
PTEC *(1) Typical En		1.943W	2.615W	2.134W	
PTEC *(2) Typical En	ergy Consumption	2.529W	2.640 W	2.819W	
	ergy Consumption	0.326kWh/week	0.346kWh/week	0.358 kWh/week	
TEC *(2) Typical En	ergy Consumption	0.425kWh/week	0.443 kWh/week	0.473kWh/week	

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

ETEC *(1) Annual Ene	ergy Consumption	16.98 kWh/year	18.01 kWh/year	18.65 kWh/year	E _{TEC} = (8760/1000) x (1 P _{sleep} x 0.35 + P _{long_Idle} P _{short_Idle} x 0.30)		5 +	
ETEC *(2) Annual Energy Consumption		22.10 kWh/year	23.07kWh/year	24.63 kWh/year		ETEC = (8760/1000) x (Poff x 0.25 + Psleep x 0.35 + Plong_idle x 0.10+ Pshort_idle x 0.30)		
					bled; Pidle: Idle State - WOL E	nabled		
External Po	wer Supply Efficie	ency Level (Internationa	I Efficiency Marking P	rotocol) * : VI				
Display res	olution * : 1920*10	080 megapixels						
Default time	e to enter energy s	ave mode: 10 minutes						
P9.2*	Information about	t the energy save functi	on is provided with th	e product.	l .	\boxtimes		
P9.3	Energy efficiency	class (monitors only):	-					X
P10	Emissions							
	Noise emission	 Declared according to 	ISO 9296 (See NOT					
P10.1		Mode description			imit A-weighted sound powe	er level, <i>L</i>	_{-WA,c} (E	3)
	Idle	* Idle mode		* 2.7				
		* Operating (CPU)		* 2.7				
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{ m pl}$	21 (operator pos	ition desktop – idle)			
	Other mode	Declared A-weighted soun	d pressure level (dB) $_{L_{\infty}}$	29 (operator pos	ition desktop – operating)			
		ling to: 🔀 ISO 7779 🔀		AIII				
	Measured accord	Other	(only if not covered by	w FCMA-74)				
		Other	(Only if flot covered t	Dy ECIVIA-74)				
Item						Yes	No	n.a.
D40.4	Electromagnetic		. f l f		f the fellowing welveton.			
P10.4		y meets the requiremen R-II(3 pin AC adapter o		ectromagnetic fields o	f the following voluntary	\bowtie	Ш	Ш
P12		computing products	iny)					
P12.1*		ts the ergonomic require	ements of ISO 9241-3	307 for visual display t	echnologies.		П	
P12.2*		ut device meets the req		• •			Ħ	
P13	Packaging and							
P13.1*		ng material type(s): car	ton weight (kg): 0.366				
		ng material type(s): pap): 0.09				
		ng material type(s): PE						
P13.2*		ng material type(s): <i>PP</i> rimary packaging is free				\square		
P13.3*				ify the contained per	centage of minimum post-			\vdash
P13.4*	consumer recove	ered fiber content: r user and product docu	%	ny are contained per				
	Electronic,	Paper, Other	· · · · ·					
P13.5		iplete this item if paper t documentation on pap				\square		
	If Yes, please spe							
	Totally chlorine-fi					\square		
	Elemental chlorin					Ħ		
	Processed chlori	ne-free				Ħ		
P14	Voluntary progr	ams						
P14.1		ts the requirements of t	he following voluntary	/ program(s):				
		0.00	rojani 1/0 0	Deta: 2000/0/47	Draduot oat 400			
	ENERGY STAR® Eco-label:	3 Criteria ve Criteria ve	ersion: V8.0		Product category: 1&2 Product category:			
	Eco-label:	Criteria ve			Product category:			
P15		mation (See NOTE B1						
P9					sted product configuration			
	this document. All in and supplier shall h	nformation provided by supave no obligation to update	oplier in this document is e such information. The i	provided based on supplementation provided here	ress or implied, regarding the in lier's knowledge available at the e is approximate and provided for	time of co	ompleti	
P9	purposes only. See a Lenovo Account Representative for more information. See Energy Star Qualified Notebooks & Tablet Computers for the latest information:							
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkBook 14s Gen 2 ITL / Zhaoyang K4 ITL / Lenovo Wei6s 14 ITL / ThinkBook K4 ITL	Logo		
Model Number	20VA,82E8,82E4,82NS		Lonovo	
Issue Date	2020/8/19, updated 2022.11.14		Lenovo	
Additional information				

d)	year of manufacture:				2020		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display. Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are						
,	enable	y and capability adjust	тенть аррней мнен а	ili discrete grapilics (carus (uGix) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
capability adjustments applied during testing	Memory over base [GB]	16	(docording to Zir Zoro)	(deceraing to 2.1. 2010)	(according to 211 2010)		
	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)						
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			72.3			
J)	Idle state power demand (Watts);	3.32					
1)	Sleep mode power demand (Watts);						
)	Sleep mode with WOL enabled power demand (Watts) (where enabled);						
)	Off mode power demand (Watts);						
κ)	Off mode with WOL enabled power demand (Watts) (where enabled);						
)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% N/A 20% N/A 50% N/A 100% N/A Average N/A						
n)							
	Average active efficiency: 89.5% meet Lo	evel VI					
))	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycles						
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						

(p-2)	points (m) – external PSU efficiency: I Ac-Dc and Ac-Ac Power Supplies								
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin								
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623								
(q)	Sequence of steps for achieving a stable condition with respect to power demand: **Power on -> Wait 5 minutes -> Stable condition**								
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Select sleep or off mode** *								
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
NA NA									
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):								
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):								
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min								
(w)	Information on the energy-saving potential of power management functionality: *Refer to User Guide*								
(x)	User information on how to enable the power management functionality: *Refer to User Guide*								
(z)	the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301								
Additional Notebook Battery Information:									
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)							
Internal/built-in Battery									
External/detachable Battery									
Bios Backup Battery		\boxtimes							
Other:									
Addition	nal information			•					

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tigi/jigu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.