



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Loge	0				
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter		LCIIOVO				
	alcarter@lenovo.com						
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo Thinkvision E24-28 / Lenovo L24-28				
Model number *	62B6, 62B8, 66EA, 66EB, 62C7, 62C8				
Issue date *	2020/12/15, updated 2021/11/11, updated 2022/03/04, Updated 2022/07/11,				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	62B6, 62B8, 66EA, 6	6EB, 62C7, 62C8	Logo	one		
Issue date * 2020/12/15, updated 2021/11/11, updated 2022/03/04, Updated 2022/07/11		L	Lenc	JVC) _{IM}		
Product	environ	mental attributes -	Legal requirements	F	Require	ment	met
Item			-		Yes	No	n.a.
P1	Hazardo	us substances and p	reparations				
P1.1*	Products	do comply with currer	nt European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Commer	nt: Legal reference has	tos (see legal reference). no maximum concentration value.				
P1.3*	hydrobro trichloroe	mofluorocarbons (HBF	Depleting Substances: Chlorofluorocarbons (CFC), FC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachle (see legal reference). Comment: Legal reference has no ma				
P1.4*	Products	do not contain more t	han; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlos (see legal reference).	orinated	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*							
P2	Batterie	S					
P2.1*			or an accumulator, the battery/accumulator is labeled with the disposal is provided in user manual. (See legal reference)	ne disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries	and accumulators are	readily removable. (See legal reference)				\boxtimes
P3	Conforn	nity verification & Eco	design (ErP)				
P3.1*	The prod	luct is CE-marked to sl laration of Conformity	now conformance with applicable legal requirements (see legation be requested at (add link or e-mail address): us/en/compliance/eu-doc	al reference).			
P3.2*		luct complies with the lal reference).	Eco design requirements for energy-related products,		\boxtimes		
	Required information is; given in item P15 or added to this document, available at (add URL):						

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol

https://www.lenovo.com/us/en/compliance/eco-declaration

(see legal reference).

Comment: Legal reference has no maximum concentration values.

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

P5

P5.1

P5.2*

P6

P6.1

Product packaging

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		62B6, 62B8, 66EA, 66EB, 62C7, 62C8	Logo	1			
Issue date * 2020/12/15, updated 2021/11/11, updated 2022/03/04, Upda		2020/12/15, updated 2021/11/11, updated 2022/03/04, Updated 2022/07/11		Len	OVC) _{tM}	
Product		mental attributes - Market requirements (See General NOTE GN l onmental conscious design		Require	ment	met	
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		mbly, recycling					
P7.1*	Parts that	at have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic n	naterials in covers/housing have no surface coating.			\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes			
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ī		
	Product	lifetime				_	
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes	
P7.8*	Upgradir	ng can be done using commonly available tools				X	
P7.9	Spare parts are available after end of production for: 7 years						
P7.10	Service i	s available after end of production for: 7 years					
		and substance requirements					
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>SGCC</i> Materia	al type:				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\boxtimes		
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	retardants, and	1			
P7.15		circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloger	n 🗌			
P7.16	Marking:						
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	. ,				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g				
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance: ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	s/preparations ir			\boxtimes	
		ical name: , CAS #: nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:		П	\boxtimes	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been

and Hazard statements:

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as

(See note B5)

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

The source(s) for these classifications is/are found at (add URL(s)):

If YES; at least one of the two alternatives below shall be answered;

The weight of recycled material is 676.14 g.

Postconsumer recycled plastic material content is used in the product (See Note B6):

a percentage of total plastic by weight) is 85 (TCO) / 82.8%(EPEAT) %.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

assigned the following Risk phrases;

P7.19

P7.20

or

b)

Model number *	62B6, 62B8, 66EA, 66EB, 62C7, 62C8	Logo	Longvo
Issue date *	2020/12/15, updated 2021/11/11, updated 2022/03/04, Updated 2022/07/11		Lenovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

		stance requirements							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
		ast one of the two alternatives below shall be answered;							
		stic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic t	by weight) is 0 %.							
		nt of the biobased plastic material is 0 g.							
P7.22*		free from mercury, i.e.							
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	Batteries								
P8.1*	Battery chemical	ery chemical composition:							
P9		otion (See NOTE B8)							
P9.1			s or energy consumption						
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy				
Peak (On-i	mayl	100 V AC	115 V AC	230 V AC	modes and test method * ENERGY STAR Displays V8				
reak (OII-I	nax)	77.00 VV	77.00 VV	77.00 VV	ENERGY STAR Displays Vo				
Categor	<u>y</u>								
Sleep (S3)	- WOL Enabled	0.17 W	0.18 W	0.26 W	ENERGY STAR Displays				
					V8(P _{sleep})				
Off (S5) - WOL Enabled		0.16 W	0.17 W	0.25 W	ENERGY STAR Displays V8(P _{off})				
PTEC *		W	W	W					
ETEC *	ergy Consumption	36.73	37.18 kWh/year	37.81 kWh/year	_				
_	ergy Consumption	kWh/year	37.76 KVVII/year	37.01 KVVII/yeai					
				l .					
External Po	ower Supply Efficie	ncy Level (International	Efficiency Marking Pro	otocol) *:					
Display res	olution * : 1920 x	1080 megapixels							
Default time	e to enter energy s	ave mode: 0.25 r	minutes						
P9.2*			on is provided with the	product.					
P9.3		class (monitors only):		•					
P10	Emissions								
-	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode	Mode description		Statistical upper limit	t A-weighted sound power level, L _{WA,c} (B)				
	Idle	k		*					
	Operation	k		*					
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm}		(operator position desktop – idle)						
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{p m Am}$	(operator pos	sition desktop – operating)				
	Measured accord	ing to: SO 7779	ECMA-74	•					
			(only if not covered by	FCMA-74)					

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		62B6, 62B8, 66EA, 66EB, 62C7, 62C8			1.	Lenovo.					
Issue date	*	2020/12/15, updated 2021/11/11, updated 2022/03/04, Updated 2022/07/11					Lé	ino	VO.	м	
Product environmental attributes - Market requirements (continued) Req							quire	ment	met		
Item									Yes	No	n.a.
		nagnetic emissions									
P10.4	program	(s):	requirement for low frequ	ency elect	romagnetic field	ds of the foll	owing volunta	ry			
P12		nics for computing									
P12.1*	-		omic requirements of ISC			-	gies.				\boxtimes
P12.2*	The phys	sical input device me	eets the requirements of I	SO 9995 a	nd ISO 9241-4	10.					\boxtimes
P13		ng and documenta									
P13.1*	Product	packaging material t packaging material t packaging material t		rboard ight (kg): 0 ight (kg): .0	.36	kg): 0.92					
P13.2*	Product	plastic primary pack	aging is free from PVC.						\boxtimes		
P13.3*		luct primary corruga er recovered fiber co	ated fiberboard packagin ontent: 90 %	g, specify	the contained	percentage	of minimum	post-			
P13.4*											
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:										
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free										
P14		ry programs									
P14.1			rements of the following v	oluntary pr	rogram(s):						
	ENERGY Eco-labe	Y STAR®	Criteria version: 8.0 Criteria version: 8.0 Criteria version: 1680.1	Date:	2020/10/28 2020/10/28 2020/10/28	Product (category: Dis category: Disp category: Disp	lays			
P15		nal information (Se									
P9			ecific configuration mag								
P9	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. PSee Energy Star Qualified Notebooks & Tablet Computers for the latest information:							lon			
, ,	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO										
	•	<u> </u>									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1