



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	conforms to the statements given in this declaration.					
Type of product *	Monitor					
Commercial name *	ThinkVision T24i-30&P24i-30&TIO Flex 24i					
Model number *	63CF,63BE,12BM					
Issue date *	2022/7/1					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		* 63CF,63BE,12BM		Lone				
Issue date *		2022/7/1		Lend	JVC	Э.		
Product environmental attributes - Legal requirements					ment	met		
Item				Yes	No	n.a.		
P1		ous substances and preparations						
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.							
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),							
1 1.0		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride. 1.1.1-		ш			
	trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no m						
P1.4*		ation values. s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polych	larinatad					
P1.4"		s do not contain more than; 0,005% polychlorinated bipnenyl (PCB), 0,005% polych /I (PCT) in preparations (see legal reference).	iorinated		Ш			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in th	ne 🔀				
D. 1.01		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			_			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference).	,5 μg/cm²/wee	ek 🔀	Ш	Ш		
		nt: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\square				
		vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure						
P2	Batterie							
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	he disposal					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal							
	reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conformity verification & Eco design (ErP)							
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legular larding larding). It is conformity can be requested at (add link or e-mail address):	gal reference).		Ш	Ш		
		vww.lenovo.com/us/en/compliance/eu-doc for EU and						
	nπps://www.lenovo.com/us/en/compilance/eu-doc for Ευ and https://www.lenovo.com/us/en/compilance/uk-doc for UK							
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products,						
	, ,	al reference).						
	Required information is; given in item P15 or added to this document,				Ш	ш		
	available at (add URL):							
D-		www.lenovo.com/us/en/compliance/eco-declaration						
P5		packaging 0.04% land a second			_			
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur						
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material	(s) 🔀				
P5.3*		duct packaging material is free from ozone depleting substances as specified in the N	nontreal Protoc	col 🔀				
		al reference). nt: Legal reference has no maximum concentration values.						
P6		nt information				_		
P6.1*		on for recyclers/treatment facilities is available (see legal reference).						
					ш			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wodel number *		03CF,03BE,12BW	Logo	Lend		
Issue date *		2022/7/1		Len		TH
- Enviro		mental attributes - Market requirements (See General NOTE GN onmental conscious design		Require	ment ı	net
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design Disasse	mbly, recycling				
P7.1*	Parts tha	at have to be treated separately are easily separable		\square		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ħ	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				
P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes
P7.8*		ng can be done using commonly available tools				\boxtimes
P7.9		arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS Material type: PC Material naterials of external electrical cables are PVC free.	al type:			
P7.12		n materials of external electrical cables are PVC free.				\perp
P7.13			romine and 0.10	6 🔽		
F 7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):]
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:		\boxtimes		Ш
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations i	n _		
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)				\boxtimes
		ical name: , CAS #: (See NOTE 64)				
		ical name: , CAS #:				
	Alt. 2: Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:			\boxtimes
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			X
	assigned	the following Risk phrases; and Hazard statements:		_		
			ee note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):					
	a) Of t a po or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contentercentage of total plastic by weight) is 81.61 %. (EPEAT calculation) / 85% (TCO) weight of recycled material is 705.55g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63CF,63BE,12BM	Logo	Lon	21/0	
Issue date *	2022/7/1		Len) _{TH}
Product environmental attributes - Market requirements (continued)			Requir	emen	t met
Item			Yes	No	n.a.

D7 044	Material and substance requirements (continued) Biobased plastic material content is used in the product (See NOTE B7):							
P7.21*	Biobased plastic m	naterial conte	ent is used ir	the product (See N	OTEB7):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic by weight) is 0%.							
	or							
P7.22*	b) The weight of the biobased plastic material is 0g. Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
F1.22	If mercury is used				ium mercury content pe	er lamp: mg		
P8	Batteries	<u></u>			, , , , , , , , , , , , , , , , , , , ,			
P8.1*	Battery chemical c	omposition:				\square		
P9	Energy consumpt	tion (See No	OTE B8)					
P9.1	For the product the	e following p	ower levels	or energy consumpti	ons are reported:			
Energy mo	de *	Power	Power	Power level at	Power level at	Reference/Standard for energy		
		level at	level at	115 V AC	230 V AC	modes and test method *		
		100V 50HzAC	100V /60Hz					
ENERGY	STAR® On Mode*	11.75	11.74	11.68	11.68	ENERGY STAR® Program		
(System Id		11.75	11.74	11.00	11.00	Requirements for Displays:		
(O)otom la	,					Ver. 8.0		
ENERGY S	STAR® Low Power	0.29	0.29	0.29	0.33	ENERGY STAR® Program		
Sleep Mod	e*					Requirements for Displays:		
		0.07	0.07	0.00	0.24	Ver. 8.0 ENERGY STAR® Program		
	STAR® Off /	0.27	0.27	0.29	0.31	Requirements for Displays:		
Apparent C	Off Mode*					Ver. 8.0		
PTEC *		l w	l w	l w	l w			
— —	ergy Consumption	vv	vv	l vv	VV			
ETEC *	orgy Corroumption	37.68 kWh	37.65 kWh	37.46 kWh/year	37.69kWh/year	$E_{TEC} = 8.76x (0.35xPon + 0.65x$		
-	ergy Consumption	/year	/year			Psleep)		
External Po	ower Supply Efficien	cy Level (Int	ernational E	fficiency Marking Pr	otocol) *:			
						ENERGY STAR® Program		
Display res	olution* : 1920*108	30 megapixe	ls			Requirements for Computer		
						Monitors: Ver. 8.0		
Default tim	o to optor operaviso	vo mode: 15	cocondo			ENERGY STAR® Program Requirements for Computer		
Delault IIII	e to enter energy sa	ive mode. 15	seconus			Monitors: Ver. 8.0		
P9.2*	Information about t	the energy s	ave function	is provided with the	product.			
P9.3*	The product meets	the energy	requirement	s of the following vo	luntary program/s:			
. 0.0	ENERGY STAR®				antary programme.			
P10	Emissions							
P10.1	Mode Mode	Mode desc		SO 9296 (See NOTE		it A visighted sound never level / (D)		
1 10.1	Idle	* HDD: Idle			*	it A-weighted sound power level, L _{WA,c} (B)		
					*			
	Operation	* HDD: Op						
	Other mode	_	veignted soun	d pressure level (dB)	(operator po	sition desktop – idle)		
	Oth on mac di	L _{pAm}	uniahtad sa:	d processes level (dD)	 	attion district an area of the		
	Other mode	L_{pAm}	vergniea soun	d pressure level (dB)	(operator po	sition desktop – operating)		
		<u> </u>						
	Measured according	.5		ECMA-74				
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see $\underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}$

Model number *		63CF,63BE,12BM				Logo	П	000	V/0	
Issue date *		2022/7/1					L	eno	VO.	
Product	environr	nental attributes	- Market requirements (co	ontinued)			R	equire	ment	met
Item				•				Yes	No	n.a.
	Electron	magnetic emission	S							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):									
P12		mics for computing								
P12.1*	The disp	play meets the ergor	nomic requirements of ISO 924	1-307 for visual displa	y technolog	jies.		\boxtimes		
P12.2*	The phy	sical input device m	eets the requirements of ISO 9	995 and ISO 9241-41	0.					\boxtimes
P13		ing and documenta								
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): LDPE Bag weight (g): 1.080					
P13.2*	Product	plastic primary pack	aging is free from PVC.					\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90%									
P13.4*		media for user and pronic, ⊠Paper, □	oroduct documentation (tick box Other	():						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Totally chlorine-free Selemental chlorine-free									
	Processed chlorine-free									
P14		ry programs								
P14.1	ENERG TCO Eco-labe	Y STAR®	rements of the following volunt Criteria version: 8.0 Criteria version: TCO9 Criteria version:	ary program(s): Date: 2022/7/19 Date: 2022/8/3 Date:	Product c Product c Product c	ategory:				
P15		nal information (Se								
P9	Energy consumption of specific configuration may vary; description of the tested product configuration:									
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						on			
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays						_			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1