



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0			
Company name *	Lenovo		_			
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Thinkvision T27hv-30			
Model number *	63D6			
Issue date *	2023/1/13			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		63D6	Logo	Long)\/C	
Issue date *		2023/1/13		Lend	JVU	тн
	duct environmental attributes - Legal requirements			Require		met
Item				Yes	No	n.a.
P1		ous substances and preparations	. =			
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	: B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference).				
D4 0*		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 1 1 1	\boxtimes	Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ration values.				
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes	П	
		(PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ie 🔀		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	k 📗		\boxtimes
		al reference).				
D. 1 = 1		nt: Max limit in legal reference when tested according to EN1811:2011-5.			_	
P1.7*		Article 33 information about substances in articles is available at (add URL or mail ovww.lenovo.com/us/en/Lenovo-REACH-SVHC-	contact):	\boxtimes	Ш	ш
	Disclosi					
P2	Batterie					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal					
	symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conformity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).		П	П
	The Declaration of Conformity can be requested at (add link or e-mail address):					
		vww.lenovo.com/us/en/compliance/eu-doc for EU				
P3.2*		www.lenovo.com/us/en/compliance/uk-doc for UK duct complies with the Eco design requirements for energy-related products,			_	
P3.2		al reference).			Ш	ш
	, ,	d information is; given in item P15 or added to this document,		\boxtimes		
	rtoquiroc	available at (add URL):			ш	
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium ar	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	·	, 🗀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
	Comment: Legal reference has no maximum concentration values.					
-		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wodel number *		03D0	Logo	Lend	21/0	•
Issue date *		2023/1/13		Len		TH.
- Enviro		mental attributes - Market requirements (See General NOTE GN lonmental conscious design		Requirer Yes		net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.				No	n.a.
P7	Design Disasse	mbly, recycling				
P7.1*		at have to be treated separately are easily separable		\square	П	
P7.2*		naterials in covers/housing have no surface coating.			M	
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
			Ħ	$\overline{}$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		Ħ	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes
P7.8*	Upgradir	ng can be done using commonly available tools				\boxtimes
P7.9	Spare pa	arts are available after end of production for: 7 years				
P7.10	Service i	s available after end of production for: 7 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS Material type: SGCC Material n materials of external electrical cables are PVC free.	al type: Al			
						Н.
P7.13	Insulation materials of internal electrical cables are PVC free.					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15		circuit boards, PCBs (without components) are low halogen: all \Box PCBs > 25 g \boxtimes ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen			
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):			
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		\boxtimes	Ш	
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in			
	1. Chem 2. Chem	rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "			Ш	
		ical name: , CAS #: "				
D7.40		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043		_Ц_	Ц_	
P7.19	•	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases: and Hazard statements:	nave been		Ш	\boxtimes
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*						
	If YES; a a) Of t a po or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contentercentage of total plastic by weight) is 83.07%.(EPEAT Calculation)/85%(TCO Calculation) as weight of recycled material is 1274.15 g.		<u>K-3</u>]]

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63D6	Logo	Lon	01/6	
Issue date *	2023/1/13		Len) тн
Product environr	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

	Material and su	hetanco roquiromonte	(continued)					
P7.21*		arial and substance requirements (continued) ased plastic material content is used in the product (See NOTE B7):						
	a) Of total plastic total plastic	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or						
		of the biobased plastic material is <i>0</i> g.						
P7.22*	Light sources are	e free from mercury, i.e. d specify: Number of la	less than 0,1 mg/lamp	um mercury content p	er lamp: mg			
P8	Batteries	<u>a opoonya</u>		<u> </u>	g			
P8.1*	Battery chemical composition:					\square		
P9	Energy consum	ption (See NOTE B8)						
P9.1		he following power leve	ls or energy consumption	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-	max)	W	W	W				
Categor	<u>y</u>							
On Power	,	20.2 W	20.1 W	21.1 W	ENERGY STAR Program Requirements for Displays Version 8.0			
Sleep (S3) - WOL Enabled		0.85 W	0.81 W	0.85 W	ENERGY STAR Program Requirements for Displays Version 8.0(P _{sleep})			
Off (S5) -	WOL Enabled	0.19 W	0.16 W	0.21 W	ENERGY STAR Program Requirements for Displays Version 8.0(P _{off})			
PTEC *		W	W	W		\boxtimes		
Typical En	ergy Consumption							
ETEC * Annual En	ergy Consumption	66.77 kWh/year	66.24 kWh/year	69.53 kWh/year	ENERGY STAR Program Requirements for Displays Version 8.0			
External D	owar Cupply Efficie	<u> </u>	J Efficiency Marking Dro	otocol\ * :				
			il Ellicieticy Marking Pro	olocol) .				
	solution * : 2560 X					_ <u></u> _		
		save mode: 0.25 minute						
P9.2*	Information abou	t the energy save funct	ion is provided with the	product.				
P9.3	Energy efficiency	class (monitors only):	F		EC2019/2013			
P10	Emissions				·			
	Noise emission	- Declared according to	o ISO 9296 (See NOTE	B9)				
P10.1	Mode	Mode description		Statistical upper lin	nit A-weighted sound power level, $L_{ extstyle WA,c}$	(B)		
	Idle	*		*		\boxtimes		
	Operation	*		*		\boxtimes		
	Other mode		nd pressure level (dB) $L_{p{\sf An}}$		osition desktop – idle)			
	Other mode ${\it Declared A-weighted sound pressure level (dB)}\ L_{p{\rm Am}}$			(operator position desktop – operating)				
	Measured accord	ding to: SO 7779 Other	ECMA-74 (only if not covered by	FCMA-74)				
			(Siny if flot covered by	LOWIN-17				

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		63D6			Logo	Long	1/0	
Issue date *		2023/1/13				Leno	VO.	
Product	environr	nental attributes	- Market requirements (c	ontinued)		Require	ment	met
Item			•	•		Yes	No	n.a.
	Electror	magnetic emission	S					
P10.4	Compute		requirement for low frequency	y electromagnetic fields	s of the following voluntary			
P12	Ergono	mics for computing						
P12.1*	The disp	lay meets the ergon	omic requirements of ISO 924	11-307 for visual display	y technologies.	\boxtimes		
P12.2*	The phys	sical input device me	eets the requirements of ISO 9	9995 and ISO 9241-410	0.			\boxtimes
P13	Packagi	ng and documenta	tion					
P13.1*	Product Product	packaging material backaging material	type(s): Paper-Corrugated type(s): Cushion-PLUP type(s): Plastic-LDPE	weight (kg): 1.295 weight (kg): 1.5 weight (kg): 0.057				
P13.2*	Product	plastic primary pack	aging is free from PVC.					
P13.3*		duct primary corrugater recovered fiber co	ated fiberboard packaging, sontent: 90 %	pecify the contained p	ercentage of minimum po	ost-		
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:							
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14		ry programs						
P14.1			rements of the following volun	tary program(s):				
	ENERG' Eco-labe	Y STAR® el: el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15		nal information (Se						
P9	Energy	consumption of sp	ecific configuration may va	ry; description of the	tested product configura	ation:		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						on	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1