

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes **Computer monitors**

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	•			
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo.			
e-mail address	Alvin L Carter		LEHOVO			
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	Display					
Commercial name *	ThinkVision T34w-30					
Model number *	63D4					
Issue date *	2022/9/21					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	mber * 63D4 Logo		Lon		
Issue date * 2022/9/21		2022/9/21		Leng	JVC) ₁₄
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (I (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*						X
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec https://v	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		d information is; given in item P15 or added to this document, available at (add URL):		\square		
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercur	y, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of e legal reference).	of the material(s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol 🤀 🗌 [(see legal reference).					
-		nt: Legal reference has no maximum concentration values.				
P6		nt information		6 7		
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	63D4	Logo								
Issue dat	sue date * 2022/9/21				ονα	Эт					
Product		mental attributes - Market requirements (See General NOTE GN									
		onmental conscious design	F	Require							
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.					
P/	Design Disasse	mbly, recycling									
P7.1*		at have to be treated separately are easily separable		\square							
P7.2*	Plastic materials in covers/housing have no surface coating.										
P7.3*											
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	H					
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		H						
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			\exists						
	Product				<u> </u>						
P7.7*		ng can be done e.g. with processor, memory, cards or drives				\boxtimes					
P7.8*		ng can be done using commonly available tools		<u> </u>	Ē						
P7.9	Spare pa	arts are available after end of production for: 5 years									
P7.10		s available after end of production for: 5 years				H					
-		and substance requirements		·							
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):									
		type: ABS Material type: PC Materia	al type:								
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes						
P7.13		n materials of internal electrical cables are PVC free.			\square						
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, and								
P7.15	Printed c	sircuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g ad in IEC 61249-2-21. (See 1NOTE B2)	are low halogen		\square						
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):]					
	TBBF	PA (additive), 🛛 TBBPA (reactive) (See NOTE B3), 🗌 Other: , CAS #:		\bowtie							
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g								
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	es/preparations in								
		ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:		\boxtimes						
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			\boxtimes					
	assigned	the following Risk phrases; and Hazard statements:									
			See note B5)								
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\bowtie							
	a) Oft ape or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <i>80.8% (EPEAT calculation) / 85% (TCO ca</i> e weight of recycled material is <i>1322.7g</i>									

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63D4	Logo	
Issue date *	2022/09/21		Lenovo
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requi	emer	it met
Yes	No	n.a.

	Material and sub	stance requirements (cor	itinued)						
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least or	ne of the two alternatives be	low shall be answer	red;					
	a) Of total plast	ic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic l	weight) is %.							
	or b) The weight of the biobased plastic material is g.								
P7.22*		purces are free from mercury, i.e. less than 0,1 mg/lamp.							
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	Batteries								
P8.1*		mical composition:							
P9		otion (See NOTE B8)							
P9.1		e following power levels or Power level at	energy consumption Power level at	ns are reported: Power level at	Reference/Standard for energy				
Energy mo	bue	100 V AC	115 V AC	230 V AC	modes and test method *				
Catego	rv								
ENERGY (System I	STAR® On Mode*	28.56 W @ 50Hz	28.44 W @ 60Hz	28.17 W @ 50Hz	ENERGY STAR for Displays V8.0				
(System I	ule)	28.57 W @ 60Hz			0.0				
ENERGY	STAR® Low	0.6 W @ 50Hz	0.61 W @ 60Hz	0.62 W @ 50Hz	ENERGY STAR for Displays				
-	eep Mode*	C			V8.0				
		0.61 W @ 60Hz							
ENERGY	STAR® Off /	0.2 W @ 50Hz	0.21 W @ 60Hz	0.26 W @ 50Hz	ENERGY STAR for Displays				
Apparent	Off Mode*	0.2 W @ 60Hz			V8.0				
PTEC *		W @50Hz	W	W					
	nergy Consumption	W WSUHZ	vv	vv		\bowtie			
51	57 - 1	W @ 60H							
ETEC *		90.97 kWh/year @50Hz	90.67 kWh/year	89.9 kWh/year	ETEC = 8.76 x (Pon x 0.35 +				
Annual En	ergy Consumption	91.06 kWh/year @60Hz			Psleep x 0.65)				
External P	ower Supply Efficie	ncy Level (International Effi	ciency Marking Prot	ocol) * :		\boxtimes			
Display re	solution * : 3440*14	40 megapixels							
Default tin	ne to enter energy s	ave mode: 10 seconds							
P9.2*	Information about	the energy save function is	provided with the p	roduct.					
P9.3	Enerav efficiency	class (monitors only): F			Erp lot5				
P10	Emissions								
	Noise emission	 Declared according to ISC 	9296 (See NOTE	B9)					
P10.1		Mode description		Statistical upper limi	it A-weighted sound power level, $L_{WA,c}$	(B)			
		* HDD: Idle		*		\square			
	Operation * HDD: Operating *					\square			
	Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – idle)								
	Other mode	Declared A-weighted sound pre	ssure level (dB) _{L pAm}	(operator po	sition desktop – operating)				
	Measured accord	ing to: ISO 7779 EC	MA-74	1					
			y if not covered by I	ECMA-74)					
	1		,						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	63D4					Logo		ho		
Issue dat	te *	2022/09/21						Le	no	VO,	
Product	environr	nental attribute	es - Market requireme	ents (cont	inued)			Red	quirer	nent	me
ltem									Yes	No	n.a
		nagnetic emission						-			
P10.4	program	(s): TCO9.0	he requirement for low fre	equency ele	ctromagnetic fiel	ds of the foll	owing volur	ntary	\square		
P12	Ergono	nics for comput	ng products								
P12.1*	The disp	lay meets the erg	onomic requirements of I	ISO 9241-3	07 for visual disp	lay technolo	gies.		\boxtimes		
P12.2*	The phy	sical input device	meets the requirements of	of ISO 9995	and ISO 9241-4	10.					X
P13	Packagi	ng and docume	ntation								
P13.1*	Product Product Product Product	packaging materi packaging materi packaging materi	al type(s): Corrugated we al type(s): Corrugated al type(s): Solid EPE al type(s): LDPE weight (I	weight (kg	0.855): 1.74): 0.078						
P13.2*	Product	plastic primary pa	ckaging is free from PVC	D.	*				\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-										
P13.4*	Specify media for user and product documentation (tick box):										
P13.5	Ùser and		s item if paper documenta ntation on paper media is		ee:						
	Totally chlorine-free										
P14	Volunta	ry programs									
P14.1			quirements of the following	ng voluntary	program(s):						
	TCO: Eco-labe		Criteria version: 8.0 Criteria version: 9.0 Criteria version:		Date: 2022/9/2 Date: 2022/9/2 Date:	Product of Product of Product of		isplays			
P15		nal information (
<u>P9</u>	NOTE: \$ the info supplies informa Accoun	Supplier makes r rmation containe r's knowledge av tion. The informa t Representative	specific configuration n to representations, guar ed in this document. All vailable at the time of co ation provided here is a for more information.	arantees, as l informatio ompletion, a approximate	surances or wa n provided by s and supplier sh e and provided t	rranties wh upplier in ti all have no for informat	ether expr his docum obligation	ess or imp ent is prov to update	rided k such	based	on
P9			ed Notebooks & Tablet (ov/index.cfm?fuseactio				o&pgw_co	le=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1