



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		_enovo			
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Display					
Commercial name *	ThinkVision T65					
Model number *	62F2,62F3					
Issue date *	2021/05/10					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		62F2,62F3	Logo	Long	21/0		
Issue date	e *	2021/05/10		Lend	JVO.		
Product	environ	mental attributes - Legal requirements		Require	ment n	net	
Item				Yes	No r	ı.a.	
P1		us substances and preparations					
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes			
P1.2*	Products do not contain Asbestos (see legal reference).						
P1.3*		tt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$		
P1.3		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	Jorida 111	\boxtimes	Ш		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m					
		ation values.					
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes			
		I (PCT) in preparations (see legal reference).					
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀			
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above (),5μg/cm²/week				
		al reference).					
		t: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes			
P2.1*	Batterie	s duct contains a battery or an accumulator, the battery/accumulator is labeled with	the diaposal				
P2.1		information on proper disposal is provided in user manual. (See legal reference)	irie disposai		ш	\boxtimes	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
	reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3		nity verification& Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).						
		aration of Conformity can be requested at (add link or e-mail address):					
	https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK						
P3.2*		uct complies with the Eco design requirements for energy-related products,		\square			
1 0.2		al reference).			ш		
	Required	I information is; given in item P15 or added to this document,					
	•	available at (add URL):					
	https://v	ww.lenovo.com/us/en/compliance/eco-declaration					
P5	Product	packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	y, cadmium ar	nd 🔀			
DC 0*		ent chromium by weight of these together.	-£41	- \ \ \ \			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).						
	Commer	it: Legal reference has no maximum concentration values.					
P6		nt information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\square			
		, , , , , , , , , , , , , , , , , , , ,					

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		62F2,62F3	Logo	on	0)/6		
Issue da	te *	2021/05/10		Len) _{TH}	
		mental attributes - Market requirements (See General NOTE GN	below)				
		conscious design	R	equire			
Item P7		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
Pi	Design Disasse	mbly, recycling					
P7.1*		at have to be treated separately are easily separable		\square	П	$\overline{\Box}$	
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ħ	Ħ	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Ħ	Ħ	
P7.4*							
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ħ	T	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels/ ca	arton labels).		Ħ		
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes			
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes			
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 3 years					
		and substance requirements					
P7.11*		cover/housing material type(e.g. plastics, metal, aluminum):					
P7.12		type: <i>aluminum</i> Material type: <i>METAL</i> Material materials of external electrical cables are PVC free.	al type:				
P7.12		n materials of external electrical cables are PVC free.				 	
P7.13					<u> </u>	 	
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 10 25% post-consumer recycled content.	e retardants, and				
P7.15		circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ed in IEC61249-2-21. (See NOTE B2)	are low halogen				
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):				
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		\boxtimes	Ш		
		emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR16</i>	ents)> 25 g				
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: ical name: , CAS #: " ical name: , CAS #: " ical name: , CAS #: "	es/preparations in				
	Alt. 2:Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes	
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			$\overline{\Box}$		
	assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)						
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):					
	a) Of t	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content centage of total plastic by weight) is %. The weight of recycled plastic material is g.	it (calculated as a				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	62F2,62F3	Logo	Lenov		
Issue date *	2021/05/10		Len) 181
Product environmental attributes - Market requirements (continued)			Requir	emen	t met
Item			Yes	No	n.a.

	Material and sub	stance requirements (continued)				
P7.21*		naterial content is used		TEB7):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or						
P7.22*		f the biobased plastic m free from mercury, i.e. l					
1.22		specify: Number of lam		nercury content per la	mp: 0 mg	Ш	
P8	Batteries						
P8.1*	Battery chemical of	composition:				\boxtimes	
P9	Energy consump	tion (See NOTEB8)					
P9.1							
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
ENERGY S Mode*(Sys	STAR® On stem Idle)	173.5 W	173.2 W	173.4 W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
ENERGY Sleep Mod	STAR® Low Power e*	0.23 W	0.28 W	0.40 W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
ENERGY S Apparent C	STAR® Off / Off Mode*	o W	o W	<i>o</i> w	ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
	ergy Consumption						
	ergy Consumption	533.3 Wh/year	532.6 Wh/year	533.9 Wh/year	$E_{TEC} = 8.76 \times (P_{on} \times 0.35 + P_{sleep} \times 0.65)$		
External P	ower Supply Efficier	ncy Level (International	Efficiency Marking Pro	tocol) * : N/A			
Display res	solution* : 3840×21	60megapixels			ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
Default tim	e to enter energy sa	ave mode: 30 seconds			ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
P9.2*	Information about	the energy save function	on is provided with the p	product.			
P9.3*		s the energy requirement version: 8.0 Product ca		intary program/s:			
P10	Emissions						
D.10.1		- Declared according to	ISO 9296 (See NOTE	_			
P10.1		Mode description HDD: Idle		Statistical upper limi	it A-weighted sound power level, $L_{WA,c}(B)$		
				*			
		HDD: Operating Declared A-weighted sound	pressure level (dB) I	(operator posi	ition desktop – idle)		
		Declared A-weighted sound			ition desktop – operating)		
		ng to: ⊠ISO 7779 ☐I		1 2 2			
		Other (only		1/ 7/1			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		62F2,62F3					Logo	Long		
Issue date *	•	2021/05/10						Lenc	VO.	•
Product er	nvironn	nental attributes	- Market requireme	ents (con	ntinued)			Require	ment	met
Item								Yes	No	n.a.
	Electro	magnetic emission	ıs							
P10.4	Comput		requirement for low f	requency e	electromagnetic field	ls of the fol	lowing voluntary	/		\boxtimes
P12	Ergono	mics for computin	g products							
P12.1*	The disp	play meets the ergor	nomic requirements of	ISO 9241	-307 for visual displa	ay technolo	gies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.									
P13	Packag	ing and documenta	ation							
	Product Product Product Product	packaging material packaging material packaging material packaging material	type(s): EPE		weight (kg): 2.311 weight (kg): 0.132 g): 0.859 g): 0.008					
			kaging is free from PV		07			\boxtimes		П
P13.3*		duct primary corrug er recovered fiber co	ated fiberboard packa	aging, spe	cify the contained p	ercentage	of minimum po			
P13.4*		media for user and l tronic, Paper, Otl	product documentation her	n (tick box)):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Totally chlorine-free Elemental chlorine-free									
	Process	sed chlorine-free								
P14	Voluntary programs									
P14.1	•	•	irements of the followi	ng volunta	ry program(s):					
	Eye Sat Low blu Eye Con TCO TCO Ed Eco-lab	e light (Hardware) mfort dge el: /	Criteria version: / Criteria version: / Criteria version: 2.0 Criteria version: 2.0 Criteria version: / Criteria version: / Criteria version: /		Date: / Date: / Date: 2021/10/26 Date: 2021/10/26 Date: / Date: /	Product of Product of Product of Product of Product of	category: LCD No category: LCD No	lonitor lonitor lonitor lonitor lonitor		
		nal information (Se								
P9	Energy	consumption of s	pecific configuration	may vary	; description of the	tested pr	oduct configur	ation:		
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							d on			
P9			Monitors & Displays ov/products/office_ed							
		-								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1