



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	0				
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter		LCIIOVO				
	alcarter@lenovo.com						
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Display					
Commercial name *	ThinkVision T86					
Model number *	62F0					
Issue date *	2021/12/7					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		62F0	Logo	Lone	21/0			
Issue date	*	* 2021/12/7		Lend	JVO.	, i		
Product	environi	mental attributes - Legal requirements		Require	ment r	net		
Item				Yes	No r	1.a.		
P1		us substances and preparations			<u> </u>			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)							
P1.2*	Products do not contain Asbestos (see legal reference).							
P1.3*	Comment: Legal reference has no maximum concentration value.  Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),							
P1.3		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-	$\boxtimes$				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m						
		ation values.						
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	X				
		I (PCT) in preparations (see legal reference).						
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above (	),5μg/cm²/week					
		ıl reference).						
		t: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			Ш		
P2	Batteries							
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal			$\boxtimes$		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conform	nity verification& Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).							
		aration of Conformity can be requested at (add link or e-mail address):						
	https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK							
P3.2*		uct complies with the Eco design requirements for energy-related products,						
F3.2		uct complies with the Eco design requirements for energy-related products, il reference).			Ш	ш		
	Required	information is; given in item P15 or added to this document,						
	•	available at (add URL):		_		_		
	https://w	ww.lenovo.com/us/en/compliance/eco-declaration						
P5	Product	packaging						
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	y, cadmium ar	nd 🔀				
D= 0+		nt chromium by weight of these together.		,				
P5.2*	used (se	aging materials are marked with abbreviations and numbers indicating the nature elegal reference).		, 🗀		Ш		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).							
	Commen	t: Legal reference has no maximum concentration values.						
P6		nt information						
P6.1*	Information	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$				

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		62F0	Logo	Len	01/0			
Issue date *		2021/12/7		Lein		<b>)</b> 194		
	nmental	mental attributes - Market requirements (See General NOTE GN conscious design		equire	ment ı	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.							
P7	Design Disassembly, recycling							
P7.1*		at have to be treated separately are easily separable			П			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ħ	Ī		
P7.3*								
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels/ ca	arton labels).					
	Product	lifetime						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$				
P7.8*	Upgradir	ng can be done using commonly available tools		$\boxtimes$				
P7.9	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 3 years						
		and substance requirements						
P7.11*	Material	cover/housing material type(e.g. plastics, metal, aluminum): type: <i>aluminum</i> Material type: <i>METAL</i> Materia	al type:					
P7.12	Insulation	n materials of external electrical cables are PVC free.			$\boxtimes$			
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\boxtimes$			
P7.14	weight ( polyvinyl more tha	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	e retardants, and n parts containing					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC61249-2-21. (See NOTE B2)							
P7.16	Marking:							
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	mponents):					
		emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR16</i>	nts)> 25 g					
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: ical name: , CAS #: ical name: , CAS #: "	s/preparations in			$\boxtimes$		
		emical specifications of flame retardants in plastic parts > 25 g according ISO 1043						
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been					
	assigned the following Risk phrases; and Hazard statements:							
D7 00*	The source(s) for these classifications is/are found at (add URL(s)):  , (See note B5)							
P7.20*	If YES; a	sumer recycled plastic material content is used in the product (See Note B6):  It least one of the two alternatives below shall be answered;  It least one o	c (calculated as a					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	62F0	Logo		ovo	
Issue date *	2021/12/7		Len		) <sub>TH</sub>
Product environr	mental attributes - Market requirements (continued)		Requi	emen	t met
Item			Yes	No	n.a.

	Material and sub	stance requirements (	continued)				
P7.21*		naterial content is used		OTEB7):			
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.  or  b) The weight of the biobased plastic material is g.						
P7.22*		f the biobased plastic m free from mercury, i.e. l					
1.22		specify: Number of lam		nercury content per la	mp: 0 mg	Ш	
P8	Batteries	1	•	,			
P8.1*	Battery chemical of	composition:				$\boxtimes$	
P9	Energy consump	tion (See NOTEB8)					
P9.1		e following power levels					
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
ENERGY S Mode*(Sys		196.44 W	196.31 W	196.6 W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
ENERGY STAR® Low Power Sleep Mode*		0.31 W	0.30 W	0.40 W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
ENERGY S Apparent C	STAR® Off / Off Mode*	0.001W	0.001W	0.001W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
	ergy Consumption						
	ergy Consumption	604.03 Wh/year	603.61 Wh/year	604.97 Wh/year	$E_{TEC} = 8.76 \times (P_{on} \times 0.35 + P_{sleep} \times 0.65)$		
External Po	ower Supply Efficier	ncy Level (International	Efficiency Marking Pro	tocol) * : N/A			
Display res	solution* : <b>3840×21</b>	<b>60</b> megapixels			ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
Default time	e to enter energy sa	ave mode: 30 seconds			ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
P9.2*	Information about	the energy save functio	on is provided with the p	oroduct.			
P9.3*		s the energy requiremer version: <b>8.0</b> Product ca		ıntary program/s:			
P10	Emissions						
		- Declared according to	ISO 9296 (See NOTE	_			
P10.1		Mode description  HDD: Idle		Statistical upper limi	it A-weighted sound power level, $L_{WA,c}(B)$		
				*			
		HDD: Operating Declared A-weighted sound	I pressure level (dR) 1	(operator pea	ition daskton – idla)	$\boxtimes$	
					ition desktop – idle)		
		Declared A-weighted sound		(operator pos	ition desktop – operating)		
		ng to: SISO 7779 E		1A 74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8A Guidance document on Energy Efficiency is available; see<a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		62F0-KATA-WW					Logo	10			
Issue date	*	2021/12/7						Ler	101	<b>VO</b>	
Product e	nvironn	nental attributes	- Market requireme	ents (con	tinued)			Requ	uirem	nent	met
Item								Y	es	No	n.a.
		magnetic emission									
P10.4	progran	n(s):	requirement for low fi	requency e	lectromagnetic field	ls of the fo	llowing volunt	tary	<u> </u>		
P12		mics for computing						_			
P12.1*			nomic requirements of		•	-	ogies.		$\leq$		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.										
P13		ing and document									
P13.1*	Product Product Product Product	packaging material packaging material packaging material packaging material	type(s): <b>EPE</b>		weight (kg): 2.311 weight (kg): 0.132 g): 0.859 g): 0.008						
P13.2*			kaging is free from PV	'C.					$\overline{X}$	П	$\Box$
P13.3*		duct primary corrug	ated fiberboard packa	aging, spec	cify the contained p	ercentage	of minimum	post-			
P13.4*	Specify		product documentation	n (tick box)	:						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:										
	Totally chlorine-free										
		tal chlorine-free						Ļ	╡		
	Processed chlorine-free										
<b>P14</b> P14.1		ary programs	irements of the followi	ing volunta	n/ program(s):						
P14.1	·			ing voluntai	,,	Durahash		D ## : 4			
	Eye Sat	SY STAR®	Criteria version: / Criteria version: /		Date: / Date: /		category: <b>LCI</b> category: <b>LCI</b>				
	,	e light (Hardware)	Criteria version: 2.0		Date: 2021/10/26		category: <b>LC</b> I				
	Eye Co.		Criteria version: 2.0		Date: 2021/10/26	Product of	category: LCI	D Monitor			
	TCO		Criteria version: /		Date: /		category: LCI				
	TCO Ed Eco-lab		Criteria version: / Criteria version: /		Date:/ Date:/		category: <b>LCI</b> category: <b>LCI</b>				
P15		nal information (Se			Date. 7	Floduct	category. Lot	JWOIIILOI			
P9				mav varv:	description of the	tested pi	roduct confid	uration:			
	P9 Energy consumption of specific configuration may vary; description of the tested product configuration:  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							d on			
P9	See En	ergy Star Qualified	Monitors & Displays ov/products/office_ed	s for the la							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)*  *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1