



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCHOVO,
	<u>alcarter@lenovo.com</u>		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Notebook		
Commercial name *	IdeaPad Slim 3 14IRU8/ IdeaPad 14s IRU8		
Model number *	82X6		
Issue date *	2023-2-6		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82X6	Logo	Long		
Issue date	e *	2023-2-6		Lenc	JVC	ТМ
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlethane, methyl bromide (see legal reference). Comment: Legal reference has no material reference.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated biphen	orinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in the			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	5 μg/cm²/week			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail c	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	ne disposal	\boxtimes		
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See legal			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK	al reference).			
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products,		\boxtimes	\Box	П

given in item P15 or added to this document,

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol

available at (add URL):

https://www.lenovo.com/us/en/compliance/eco-declaration

Comment: Legal reference has no maximum concentration values

Information for recyclers/treatment facilities is available (see legal reference).

hexavalent chromium by weight of these together.

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

(see legal reference).

Product packaging

used (see legal reference).

(see legal reference).

Treatment information

P5 P5.1

P5.2*

P5.3*

P6

P6.1

Required information is;

Model nu	ımber *	82X6	Logo	Large		
Issue dat	te *	2023-2-6		Lenc		
Product		mental attributes - Market requirements (See General NOTE GN bonnental conscious design		Requiren	nent m	iet
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.
D-		B: 11 P				a.
P7 P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				-
P7.3*		arts > 100 g consist of one material or of easily separable materials.				╫
P7.4*	·	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			井	井
P7.5	<u>'</u>	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools		╫	╫
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	valiable tools.		Н-	
P7.0		, , , , , , , , , , , , , , , , , , , ,				
P7.7*	Ungradin	ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			+	井
P7.9		arts are available after end of production for: 5 years				井
P7.10		s available after end of production for: 5 years				╫
17.10						
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
		type: PC+ABS Material type: Steel				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in in 25% post-consumer recycled content.	retardants, and	d		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗔 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌		
P7.16		starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), ⊠TBBPA (reactive) (See NOTE B3),	omponents):			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chemi 2. Chemi 3. Chemi	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ical name: CAS #:	/preparations i	n 🗌		
	Alt. 2 Chemica FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned The sour	e parts > 25 g, flame retardant substances/preparations above 0,1% are used which it the following Risk phrases; and Hazard statements: H411;H413 roc(s) for these classifications is/are found at (add URL(s)): European Counc				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as

Postconsumer recycled plastic material content is used in the product (See Note B6):

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

If YES; at least one of the two alternatives below shall be answered;

a percentage of total plastic by weight) is 9.99%.

The weight of recycled material is 55.47 g.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

P7.20*

a)

or b)

Model number * Issue date *	82X6 2023-2-6	Logo	Lenovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No na

D= 0.4*		stance requirements	· · · · · · · · · · · · · · · · · · ·	1075 57)					
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered;								
		 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0 %. 							
	or								
	b) The weight of	the biobased plastic	material is g.						
P7.22*			less than 0,1 mg/lamp		. 🛛 🗀]		
P8	If mercury is used: Batteries	specify: Number of lar	nps: and maxin	num mercury content pe	er lamp: mg		_		
P8.1*		omposition: LI-ION Po	olymer hattery				_		
P9		tion (See NOTE B8)	Jymer buttery				_		
P9.1			ls or energy consumpt	ions are reported:					
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy		Π		
		100 V AC	115 V AC	230 V AC	modes and test method *		_		
Peak (On-	·max)	65 W	65 W	65 W	Full load				
Categor	v 1								
		E 4410/	5 00 11/	7 40 104	EVEROV OTAR O				
Snort Idle Enabled	State - WOL	5.14 W	5.28 W	5.43 W	ENERGY STAR Computers V8				
	State - WOL	0.62 W	0.63 W	0.66 W	ENERGY STAR Computers V8				
Enabled									
Sleep (S3) - WOL Enabled		0.62 W	0.63 W	0.66 W	ENERGY STAR Computers V8				
Off (S5) - WOL Disabled		0.21 W	0.21 W	0.26 W	ENERGY STAR Computers V8		_		
` ′							_		
PTEC *	ergy Consumption	W	W	W		\times	l		
	lergy consumption								
ETEC *	anni Canalinantian	16.41 kWh/year	16.82 kWh/year	17.44 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$				
Annuai En	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short idle} x 0.30)				
Categor	v 2				1 Short late X 5155)		_		
Short Idle Enabled	State - WOL	5.22 W	5.21 W	5.46 W	ENERGY STAR Computers V8				
Enabled									
	State - WOL	0.55 W	0.56 W	0.61 W	ENERGY STAR Computers V8				
Enabled									
Sleep (S3)) - WOL Enabled	0.55 W	0.56 W	0.61 W	ENERGY STAR Computers V8				
Off (S5) -	WOL Disabled	0.27 W	0.29 W	0.41 W	ENERGY STAR Computers V8				
					ZnZnor orani compatero re				
EPS No-lo		0.089 W	0.089 W	0.090 W					
wall outlet but dis	supply / charger plugged in the sconnected from the product.)								
PTEC *		W	W	W		\boxtimes			
Typical En	ergy Consumption	16.48 kWh/year	16.53 kWh/year	17.65 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$		_		
	ergy Consumption	70.40 KWII/yeai	70.33 KWII/yeai	77.00 KVVII/yeai	$+ P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 +$	ш	ı		
					P _{short_Idle} x 0.30)				
					ed; Pidle: Idle State - WOL Enabled		_		
			l Efficiency Marking Pr	rotocol) * : VI			<u></u>		
	solution * : 2.07 meg	•					_		
	ne to enter energy sa								
P9.2*	Information about t	the energy save functi	on is provided with the	product.	\square				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P9.3	Energy efficien	cy class (monitors only):					
P10	Emissions	Emissions					
	Noise emissio	n – Declared according to ISO 9296 (See NOTE	B9)				
P10.1	Mode	Mode description	Statistical upper limit	A-weighted sound power level, L _{WA,c} (B)			
	Idle * <i>Idle</i> * 2.7						
	Operation * Operation * 4.3						
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	15.4 (operator positi	on desktop – idle)			
	Other mode $\frac{Declared A-weighted sound pressure level (dB)}{L_{pAm}}$ 33.6 (operator position desktop – operating)						
	Measured acco	Measured according to: ☐ ISO 7779 ☐ ECMA-74					
		Other (only if not covered by I	ECMA-74)				

Model number *		82X6			Logo	Leno	M	
Issue date	*	2023-2-6				Lelio	VO,	
Product	environn	nental attributes	- Market requirements (cor	ntinued)		Require	ment	met
Item			-	-		Yes	No	n.a.
		nagnetic emissions				•		
P10.4		er display meets the (s): MPR-II(3 pin AC	requirement for low frequency electric adapter only)	lectromagnetic fields	s of the following voluntar	ry 🔀		
P12		nics for computing						
P12.1*	The disp	lay meets the ergon	omic requirements of ISO 9241-	307 for visual displa	y technologies.	\boxtimes		
P12.2*	The phys	sical input device me	eets the requirements of ISO 999	95 and ISO 9241-410	0.	\boxtimes		
P13		ng and documenta						
P13.1*	Product Product Product Product	packaging material t packaging material t packaging material t packaging material t	ype(s): Plastic - LDPE	cycled source	g): 0.332 weight (kg): 0.004			
P13.2*	Product	plastic primary pack	aging is free from PVC.			\boxtimes		
P13.3*		luct primary corruga er recovered fiber co	nted fiberboard packaging, spec ntent: 82 %	cify the contained p	ercentage of minimum	post-		
P13.4*		media for user and p c ⊠, Paper ⊠, Ot	roduct documentation (tick box): her					
P13.5	Ùser and		em if paper documentation used ation on paper media is chlorine-					
	Elementa	hlorine-free al chlorine-free ed chlorine-free						
P14	Voluntai	ry programs						
P14.1			rements of the following voluntar	y program(s):				
		Y STAR® :I: <i>EPEAT</i> :I:	Criteria version: 8.0 Criteria version: 1680.1-2018 Criteria version:	Date: 2020/7/15 Date: Date:	Product category: 1,2 Product category: Product category:			
P15		nal information (Sec						
P9	Energy (consumption of sp	ecific configuration may vary;	description of the	tested product configu	ration:		

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Account Representative for more information.

P9

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Logo

Products scope of this sheet:

Commercial name

(p-1)

(p-2)

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

IdeaPad Slim 3 14IRU8/ IdeaPad 14s IRU8

Model number * Issue date * Additional information		82X6			Le	novo.
		2023-2-6				
Additio	nai information					
	Product environr					
(d)	Year of manufac	cture:				2022
						-
(e)	Etec value (kWh	n) per ErP Lot 3 Catego the system is tested witl	ory and capability adjus	tments applied when	all discrete graphics	cards (dGfx) are
	uisabled and in	ine system is tested with	1 Switchable grapilles II	node with olwa driving	g tric display.	
(f)	,	n) per ErP Lot 3 Catego	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
	enable					
			Category A	Category B	Category C	Category D
	Memory over base	e [GB]	(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3
1	mornery ever base	, [05]				
ng u	Additional internal	storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
testi	Discrete television	tuner	No	(1007110)	(1007110)	(1.557.115)
capability adjustments applied during testing	Bisorete television	tunoi	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete Audio Card		No			
pabi	D:	0 1/) 5 1 1/17	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
g g	Discrete graphics	Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discre	te graphics Card(s)				
	Etec Value (kW	h) - dGfx disabled	8.53			
ults	all discrete graphics cards UMA is active for switchabl	(dGfx) are disabled/				
Test results	product has no graphics ca	ards (dGfx)				
Test	all discrete graphics cards	(dGfx) are enabled				
(g)	Idle state power	demand (Watts);				2.67
(h)	Sleep mode pow	ver demand (Watts);				0.41
(i)	Sleep mode with	WOL enabled power d	emand (Watts) (where	enabled);		0.41
(j)	Off mode power	demand (Watts);				0.22
(k)	Off mode with W	/OL enabled power dem	nand (Watts) (where en	abled):		0.22
(I)		upply efficiency at 10 %			er (if applicable):	0.22
(1)	•	,			ei (ii applicable).	
	10% 20		100% Avera	nge		
(m)	External power s	supply efficiency (if appl	icable)*:			
	Average active e	efficiency: 89.56%;91.8	3%;89.63%			
		alues for all available external p				
(o)	Minimum numbe	er of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300CYCLE

Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:

Measurement methodology used to determine information mentioned in points (m) - external PSU efficiency: EN 50563:2011 measurement methodology

(p-3)	3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology				
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode		
		EN 62623:2013 measurement methodo	ology		
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::		
	EN 62623:2013 measurement methodology				
(r)	Description of how sl	eep and/or off mode was selected or programmed:			
		EN 62623:2013 measurement methodo	ology		
(s)		required to reach the mode where the equipment au wer management, 5mins automatically reaches s			
(t)		te condition before the computer automatically researched the applicable power demand requirement		5	
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA	
(v)		re the display sleep mode is set to activate after		5	
(w)		nergy-saving potential of power management functio			
	User information d	lescribed in User Guide and Power Manager und 14s IRU8 menu in all programs	er IdeaPad Slim 3 14IRU8/ IdeaPad		
(x)	User information on I	now to enable the power management functionality:			
	User information d	lescribed in User Guide and Power Manager und 14s IRU8 menu in all programs	er IdeaPad Slim 3 14IRU8/ IdeaPad		
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting:			
		230V, 50GHz, Total Harmonic Distortion	1 <2 %		
Addition	al Notebook Batter	v Information:			
7100000		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/o	detachable Battery				
Bios Backup Battery					
Other:					
Additiona	l information				
)					

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.