



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	0
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs	1	
e-mail address	Alvin L Carter		Lenovo
	<u>alcarter@lenovo.com</u>		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad Slim 3 16ABR8				
Model number *	82XR				
Issue date *	2023-02-10				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82XR	Logo	Lond	Lenovo		
Issue dat	e *	2023-02-10		Lenc	JVC) _{TM}	
Product	environ	mental attributes - Legal requirements		Require	ment	met	
Item		-		Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes			
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes			
D4.04	Comment: Legal reference has no maximum concentration value.						
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	Jorido 111		Ш		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no n					
		ration values.	iaximam				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated				
	terpheny	(PCT) in preparations (see legal reference).					
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	bon atoms in	the 🔀			
D4.0*		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	. = 1 21				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above (),5 μg/cm²/we	eek 🔀	Ш	Ш	
		al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact).				
		vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	oontaot).		ш		
P2	Batterie	S		·			
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal	\boxtimes			
		Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See le	gal			
P2.3*		s and accumulators are readily removable. (See legal reference)		\square			
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	П		
		laration of Conformity can be requested at (add link or e-mail address):			_		
		vww.lenovo.com/us/en/compliance/eu-doc for EU					
	https://v	www.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*		duct complies with the Eco design requirements for energy-related products,		\boxtimes			
		al reference).		_	_		
	Required	d information is; given in item P15 or added to this document,		\boxtimes			
		available at (add URL):					
		www.lenovo.com/us/en/compliance/eco-declaration		<u> </u>			
P5		packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	y, cadmium	and 🔀			
P5.2*		ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature	of the materi	al(s)		\dashv	
F 3.2		e legal reference).	oi ule iliatella	(c) K	Ш		
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	/ontreal Prot	ocol 🔀		\Box	
		al reference).			_	_	
		nt: Legal reference has no maximum concentration values.					
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82XR	Logo	Lon		
Issue date *		2023-02-10		Len	OVC) _{TM}
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling			•	
P7.1*	Parts tha	t have to be treated separately are easily separable		\square		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Ħ	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ħ	Ī
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product	lifetime				_
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	g can be done using commonly available tools			П	
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements		•	•	
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: plastics(PC+ABS) Material type:				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, ar	ıd		
P7.15	Printed o	ircuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌	\boxtimes	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	components):			
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chemi 2. Chemi 3. Chemi 4. Chemi	etarded plastic parts >25g contain the following flame retardant substance ations above 0.1%: ical name: CAS #:	s/preparations	in		
	Alt. 2 Chemica FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; confidential and Hazard statements: H411;H4 ce(s) for these classifications is/are found at (add URL(s)): European Counties (See note B5)	13			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):				
	If YES; a	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

a percentage of total plastic by weight) is 10.59%.

The weight of recycled material is 79.01 g.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

or b)

Model number * Issue date *	82XR 2023-02-10	Logo	Lenovo.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No na

	Material and au	hotonoo roquiromenta	(aantinuad)					
P7.21*		Ibstance requirements material content is use	d in the product (See N	OTF B7):		$\overline{}$		
1 7.21	•			,		ш		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
		by weight) is 0 %		aterial content (calcula	ated as a percentage of			
	or	, ,						
D7.00*		of the biobased plastic				_		
P7.22*		e free from mercury, i.e ed specify: Number of la	. less than 0,1 mg/lamp.	um mercury content p	er lamp: mg	Ш		
P8	Batteries	ou specify. Number of la	imps. and maxim	uni increary content p	Criamp. mg			
P8.1*		I composition: LI-ION P	olymer battery			\Box		
P9	Energy consun	nption (See NOTE B8)						
P9.1	For the product	the following power leve	els or energy consumption	ons are reported:				
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-I	max)	65 W	65 W	65 W	Full load			
Categor	<u>/ 2</u>							
	State - WOL	3.95W	3.93W	4.68W	ENERGY STAR Computers V8			
Enabled					(P short idle)			
Long Idle	State - WOL	2.0 W	1.97W	2.11 W	ENERGY STAR Computers V8			
Enabled					(P long idle)			
Class (C2)	WOL Frabled	0.4710/	0.54\\\	0.50\\\	ENERGY STAR Commuters			
Sieep (S3)	- WOL Enabled	0.47 W	0.51 W	0.58W	ENERGY STAR Computers V8(P _{sleep})			
Off (S5) - V	VOL Enabled	0.31 W	0.30W	0.36 W	ENERGY STAR Computers V8(P off)			
				14/	2 0(1)			
EPS No-loa	3Cl upply / charger plugged in t	W he	W	W				
	connected from the product.							
PTEC *		W	W	W		\boxtimes		
Typical Ene	ergy Consumption	1						
ETEC *		14.25kWh/year	14.27kWh/year	16.71 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	\Box		
Annual Ene	ergy Consumption	n			+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+			
					P _{short_idle} x 0.30)			
		P _{off} : Off Mode(S5) - W	OL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enabl	led; P _{idle} : Idle State - WOL Enabled			
External Po	wer Supply Effici	ency Level (International	al Efficiency Marking Pro	otocol) * : VI		\Box		
Display res	olution * : 2.304 i	megapixels						
Default time	e to enter energy	save mode: 5 minutes						
P9.2*	Information abou	ut the energy save funct	tion is provided with the	product.				
P9.3	Energy efficienc	y class (monitors only):						
P10	Emissions							
			to ISO 9296 (See NOTE					
P10.1	Mode	Mode description		Statistical upper limit A-weighted sound power level, L		<u>B)</u>		
	Idle	* Idle (Operating)		* 2.5		 -		
	Operation	*CPU:Operation		* 4.4				
	Other mode	Declared A-weighted soul	nd pressure level (dB) $L_{p\! extsf{Am}}$		ition desktop – idle)			
	Other mode	Declared A-weighted soul	nd pressure level (dB) $L_{ m p\!Am}$	33.4 (operator pos	ition desktop – operating)			
	Measured accor	ding to: ISO 7779	ECMA-74					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		82XR			Logo	Lono	VO	
Issue date	*	2023-02-10				Leno	VO.	н
Product e	environn	nental attributes	- Market requirements	(continued)		Requirer	nent	met
Item			•	,		Yes	No	n.a.
	Electron	nagnetic emissions	3					
P10.4		er display meets the (s): MPR-II(3 pin AC	requirement for low freque categorian and a depter only)	ncy electromagnetic fields	s of the following voluntary			
P12		nics for computing						
P12.1*	The disp	lay meets the ergon	omic requirements of ISO 9	9241-307 for visual displa	y technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.							
P13		ng and documenta						
P13.1*	Product packaging material type(s): B flute corrugated board weight (kg): 0.360 Product packaging material type(s): paper(manual) weight (kg): 0.08 Product packaging material type(s): EPE weight (kg): 0.09 Product packaging material type(s): LDPE weight (kg): 0.015 Product packaging material type(s): PET weight (kg): 0.0033							
P13.2*	Product	plastic primary pack	aging is free from PVC.			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 82 %							
P13.4*		media for user and p c ⊠, Paper ⊠, Ot	roduct documentation (tick ther	box):				
P13.5	Ùser and		em if paper documentation ation on paper media is chl					
	Elementa	hlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The proc	luct meets the requi	rements of the following vo	luntary program(s):				
	ENERGY Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020-04 Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (Se						
P9					tested product configurat			
	the information	rmation contained 's knowledge avail tion. The information	in this document. All info able at the time of compl	rmation provided by su letion, and supplier shall	anties whether express of oplier in this document is I have no obligation to up r informational purposes	provided b date such	ased	on
P9			Notebooks & Tablet Com s://www.energystar.gov/p					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Slim 3 16ABR8	Logo
Model number *	82XR	Lanava
Issue date *	2023-02-10	Lenovo
Additional information		
P7.1.1 Product environi	mental attributes	
(d) Year of manufac	cture:	
		2022

(d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjus	tments applied when	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.95			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	1	•	•	2.11
h)	Sleep mode power demand (Watts);				0.58
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.58
j)	Off mode power demand (Watts);				0.36
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.36
1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	ver (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 89.71% 89.6	63% 89.89% 90.37%			
- \	*internal note: show values for all available external p		4		
o)	Minimum number of loading cycles that	ine palleries can Withs	tand (applies only to f	iotebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	ermine information mer <i>NA</i>	ntioned in points (I) – i	internal PSU efficiency	:
(p-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) -	- external PSU efficiend	cy:

(p-3) Measurement method	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology						
	odology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode					
	EN 62623:2013 measurement methodology						
(q) Sequence of steps f	Sequence of steps for achieving a stable condition with respect to power demand::						
	EN 62623:2013 measurement methodology						
(r) Description of how s	Description of how sleep and/or off mode was selected or programmed:						
E	By selecting sleep and/or off mode thru Windows	operating system					
(s) Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
re	fer to power management, 5mins automatically re	aches sleep mode					
	Ite condition before the computer automatically rust exceed the applicable power demand requirement		5				
(u) Length of time afte	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in	r automatically reaches a power	NA				
	ore the display sleep mode is set to activate after		5				
(w) Information on the e	nergy-saving potential of power management functio	nality:					
User information	n described in User Guide and Power Manager un programs	der LenovoVantage menu in all					
(x) User information on	how to enable the power management functionality:						
User informatio	n described in User Guide and Power Manager ur programs	nder LenovoVantage menu in all					
the electricity supply	measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V, 50GHz, Total Harmonic Distortion <2 9	strumentation, set-up and circuits					
Additional Notebook Batte	ry Information:						
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information			•				

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.