



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	Notebook				
Commercial name *	IdeaPad Slim 3 Chrome 14M868				
Model number *	82XJ				
Issue date *	2023/01/08				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		ber* 82XJ Lo		Long	W/0	
Issue date	) *	2023/01/08		Lend		ТМ
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference).				
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$	$\overline{}$	
1 1.0	hydrobro trichloroe concentr	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values.	aximum			
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):			
	Disclosi	vww.lenovo.com/us/en/Lenovo-REACH-SVHC-				
P2	Batterie					
P2.1*	If the pro	diduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See leg	al 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		$\square$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal large legal requirements) (see legal large legal requirements):	gal reference).			
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products,				
	Required	al reference).  I information is;				
		ww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.			Ш	
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak q$ elegal reference).	of the material	(s) 🔀		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nat reference).	ontreal Proto	col 🔀		
DC		nt: Legal reference has no maximum concentration values.				
P6.1*		nt information on for recyclers/treatment facilities is available (see legal reference).			$\overline{}$	
ΓU. I	miormali	on for recycles/deadfletit facilities is available (see legal reference).			Ш	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	imber	82XJ	Logo	Len	21/0	
Issue date * 2023/01/08		2023/01/08		Len		тн
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment i	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable			<u>Ц</u>	Ш
P7.2*		naterials in covers/housing have no surface coating.			$\boxtimes$	
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\boxtimes$		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*		ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS+15% Talc Material type: PC+ABS Materia type: Bayer 3002	al type: PC			
P7.12		n materials of external electrical cables are PVC free.		$\square$		
P7.13	Insulation	n materials of internal electrical cables are PVC free.			П	Ħ
P7.14	weight (	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, ar	% 🔀 nd		
P7.15	Printed of as define	circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g 区 ed in IEC 61249-2-21. (See 1NOTE B2)	·	en 🛚		
P7.16	Marking:					
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without copy A (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO-HQ CAS #: 98	9208-50-1			
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	, -			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: <b>Bisphenol A diphosphate</b> , CAS #:181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in		
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19	assigned	e parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>P273,P391,P501</i> and Hazard statements: <i>H411</i> rec(s) for these classifications is/are found at (add URL(s)):  https://mbd.baidu.com/ma/s/Ue4IQC7A, (See note B5)	n have been			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\square$		
	If YES; a a) Of t a pe or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 8.99%.  The weight of recycled material is 61.08 g.	it (calculated as			]

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82XJ	Logo	Lenovo
Issue date *	2023/01/08		Lei IOVO.
Product environr	mental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

	Material and sub	stance requirements	(continued)					
P7.21*	Biobased plastic r	naterial content is used	in the product (See NO	OTE B7):				
	a) Of total plast	ast one of the two alternatives below shall be answered; plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of astic by weight) is %.						
	or b) The weight of	weight of the biobased plastic material is g.						
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp.		$\square$ $\square$ $\square$			
		specify: Number of lar	nps: and maxim	um mercury content per	r lamp: mg			
P8	Batteries	namana aiti anu 1 ithiuma i						
P8.1*		composition: Lithium id	on					
<b>P9</b>		otion (See NOTE B8)	s or energy consumption	one are reported:				
Energy mod		Power level at	Power level at	Power level at	Reference/Standard for energy			
Lilorgy mod		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-r	nax)	65 W	65 W	65 W	Full load			
Category	<u>/2</u>							
Short Idle S Enabled	State - WOL	3.19 W	3.19 W	3.21 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Long Idle S Enabled	State - WOL	1.41 W	1.41 W	1.47 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Sleep (S3)	- WOL Disabled	<b>0.45</b> W	<b>0.46</b> W	0.48 W	ENERGY STAR Computers V8			
Off (S5) - V	VOL Disabled	0.16 W	0.16 W	0.18 W	ENERGY STAR Computers V8			
EPS No-loa (External power su	ad upply / charger plugged in the connected from the product.)	<b>0.15</b> W	<b>0.15</b> W	0.15 W				
PTEC * Typical Energy Consumption		W	W	W				
ETEC * Annual Ene	ergy Consumption	11.35 kWh/year	11.38 kWh/year	<b>11.59</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short idle</sub> x 0.30)			
					d; P <sub>idle</sub> : Idle State - WOL Enabled			
External Po	wer Supply Efficie	ncy Level (International	Efficiency Marking Pro	tocol) * : VI				
Display res	olution * : <b>1920*1</b> 0	80 megapixels						
Default time	e to enter energy s	ave mode: 7 minutes						
P9.2*	Information about	the energy save function	on is provided with the	product.				
P9.3	Energy efficiency	class (monitors only):						
P10	Emissions	-,						
			ISO 9296 (See NOTE					
P10.1		Mode description		Statistical upper limit	: A-weighted sound power level, $L_{WA,c}$ (B)			
	Idle	* System Idle		1.				
	Operation	* CPU;Operation		*				
Other mode $L_{p \text{Am}}$ Declared A-weighted sound pressure level (dB) $L_{p \text{Am}}$ (operator position desktop – idle)				esktop – idle)				
	Other mode	Declared A-weighted sound $L_{p{\sf Am}}$	d pressure level (dB)	(operator position d	esktop – operating)			
	Measured accord		ECMA-74	1				
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number * 82XJ		lono	V/0	
Issue date *	2023/01/08	Leno	VO.	·
Product environ	mental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
Electro	magnetic emissions			
	ter display meets the requirement for low frequency electromagnetic fields of the following voluntary n(s): MPR-II(3 pin AC adapter only)			
	omics for computing products			
P12.1* The dis	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$		
	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\boxtimes$		
	ing and documentation			
Produc Produc Produc	t packaging material type(s): Multi layer corrugated cardboard t packaging material type(s): Single layer corrugated board t packaging material type(s): Polyethylene Cushions t packaging material type(s): OBP+PE weight (kg): 0.0038 weight (kg): 0.0038			
P13.2* Product	t plastic primary packaging is free from PVC.	$\boxtimes$	П	
P13.3* For pro	duct primary corrugated fiberboard packaging, specify the contained percentage of minimum poster recovered fiber content: $84\%$			
Elec	media for user and product documentation (tick box): tronic, ⊠Paper, □Other			
Ùser ar	e only complete this item if paper documentation used) and product documentation on paper media is chlorine-free: please specify:			
Elemen	chlorine-free tal chlorine-free sed chlorine-free			
P14 Volunta	ary programs			
	duct meets the requirements of the following voluntary program(s):			
Eco-lab Eco-lab	<u> </u>			
	nal information (See NOTE B10)			
	consumption of specific configuration may vary; description of the tested product configuration			
the info supplie informa Accoul	Supplier makes no representations, guarantees, assurances or warranties whether express or ormation contained in this document. All information provided by supplier in this document is er's knowledge available at the time of completion, and supplier shall have no obligation to up- ation. The information provided here is approximate and provided for informational purposes int Representative for more information.	provided l date such	based	on
	ergy Star Qualified Notebooks & Tablet Computers for the latest information: www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=C0	)		
•				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IP Slim 3 Chrome 14M868	Logo	
Model Number	82XJ		Lonovo
Issue Date	2023/01/08		Lenovo.
Additional information			

(d)	Year of manufacture:				2023
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	32	(======================================	(according to an according	(40000000000000000000000000000000000000
ents sting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
djustm ring tes	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NO			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	5.287			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);		•		1.582
h)	Sleep mode power demand (Watts);				0.348
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		NA
j)	Off mode power demand (Watts);				0.157
(k)	Off mode with WOL enabled power dem	nand (Watts) (where en	abled);		NA
(1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 85.76%, 85.	.27%, 84.09%, 83.45	%, 84.64%		
	*internal note: show values for all available external p				
(o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300 cycles
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency	:

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)					
(p-3) Measu	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:   ≥70% of Cmin					
		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
		IEC 62623				
(q) Sequer	nce of steps fo	r achieving a stable condition with respect to power	demand::			
		Power on -> Wait 5 minutes -> Stable con	ndition			
(r) Descrip	ption of how sl	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	ff mode			
(s) Sequer off mod		required to reach the mode where the equipment au	tomatically changes to sleep and/or			
		re condition before the computer automatically renot exceed the applicable power demand requirement		7 Min		
(u) Length	n of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA		
		re the display sleep mode is set to activate after		7 Min		
(w) Informa	ation on the er	nergy-saving potential of power management function	nality:			
		Refer to User Guide				
(x) User in	nformation on l	now to enable the power management functionality:				
		Refer to User Guide				
		measurements: — test voltage in V and frequency in system, — information and documentation on the in:				
	or electrical tes		strumentation, set-up and circuits			
		on 2.0, 2011-01, Section 4, IEC62301				
<b>Additional Note</b>	book Batter	y Information:				
		Battery[ies] <b>not</b> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)}$				
Internal/built-in B	Battery					
External/detacha	ble Battery					
Bios Backup Battery						
Other:	Other:					
Additional informa	ation					
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] elivătj ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.