

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter	Lenovo.			
	alcarter@lenovo.com				
Internet site * https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	al information The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product								
conforms to the statement	conforms to the statements given in this declaration.							
Type of product *	Notebook							
Commercial name *	Legion Pro 7 16IRX8H, Legion Y9000P IRX8H							
Model number *	82WQ							
Issue date *	2023-1-31							
Intended market * 🛛 🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other								
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82WQ Logo	Leng		
lssue da	ate *	2023-1-31			
	t environ	mental attributes - Legal requirements	Require		t met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Product terphen	\square			
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in tr ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts wi (see leg Comme	k 🔀			
P1.7*	REACH https://	\boxtimes			
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	ıl 🖂		
P2.3*		s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Confor	nity verification & Eco design (ErP)		<u> </u>	
P3.1*	The pro The Dec <u>https://</u>	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): <u>www.lenovo.com/us/en/compliance/eu-doc</u> for EU; <u>www.lenovo.com/us/en/compliance/uk-doc</u> for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	Require	d information is; available at (add URL):			
		www.lenovo.com/us/en/compliance/eco-declaration			
P5	Produc	t packaging			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.	nd 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the material(ee legal reference).	s) 🔀		
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6		Int information			
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82WQ	Logo	Lon		
Issue da	te *	2023-1-31		Len	ove	D _{EM}
Product		mental attributes - Market requirements (See General NOTE GN	below)	Poquiro	mont	mot
Item		onmental conscious design tory to fill in. Additional information regarding each item may be found under P14.		Require Yes	No	
P7		Disassembly, recycling		103	NO	n.a.
P7.1*		at have to be treated separately are easily separable		\square		
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*		rts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			┝┝	
P7.5	-		available teele		<u> </u>	
		arts are free from metal inlays or have inlays that can be removed with commonly a	available loois.		<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product					
		ng can be done e.g. with processor, memory, cards or drives			Ц.	
P7.8*		ng can be done using commonly available tools		\square		
P7.9		arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7 40	Material	type: <i>aluminium</i> Material type: <i>plastic(PC+ABS)</i> n materials of external electrical cables are PVC free.				
P7.12				<u> </u>		
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, an	d 📩		
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all \Box PCBs > 25 g \boxtimes and in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🖂		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\square		
P7.17	<u>Alt. 1: C</u>	hemical specifications of flame retardants in printed circuit boards > 25 g (with additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out components):		
	<u>Alt. 2: C</u> ł	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g	\boxtimes		
P7.18		etarded plastic parts >25g contain the following flame retardant substance: ations above 0.1%:	s/preparations i	n		
	2. Chem 3. Chem 4. Chem Alt. 2	ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: CAS #: isal name: CAS #: isal specifications of flame retardants in plastic parts >25g according ISO 1043-4:			_	
DT 10	FR(40)					
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases: and Hazard statements: H411; H4 rce(s) for these classifications is/are found at (add URL(s)): European Council EEC, (See note B5)	13			
P7.20*	lf YES; a a) Of t a po or b) The	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <i>10.66%</i> . The weight of recycled material is <i>50.81</i> g.	nt (calculated as			
1	c)					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	82WQ				Logo			
Issue date)*	2023-1-3	31				Lenc	DVO [®]	
Product	environn	nental at	ttributes - Market r	equirements (conti	nued)		Require	ement met	
Item							Yes	No n.a.	
-			stance requirements						
P7.21*	Biobased	d plastic m	naterial content is used	I in the product (See No	OTE B7):				
	a) Of t tota or	otal plasti I plastic b		es below shall be answe the biobased plastic m	,	ted as a percentag	e of		
P7.22*				naterial is g. less than 0,1 mg/lamp.			\square		
	If mercur	y is used	specify: Number of lar		um mercury content pe	r lamp: mg			
P8	Batterie								
P8.1*		Battery chemical composition: LI-ION Polymer battery Energy consumption (See NOTE B8)							
P9.1				s or energy consumption	ons are reported.				
Energy mo			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test		ərgy	
Peak (On-	max)		330 W	330 W	330 W	Full load			
Category 2									
Short Idle Enabled	State - W	OL	18.80 W	18.87 W	19.65 W	ENERGY STAR	Computers	V8	
Long Idle Enabled	State - Wo	OL	11.41 W	12.70 W	14.54 W	ENERGY STAR	Computers	V8	
Sleep (S3)	- WOL EI	nabled	1.75 W	1.71 W	1.72 W	ENERGY STAR	Computers	V8	
Off (S5) - I	NOL Enat	oled	0.28 W	0.31 W	0.31 W	ENERGY STAR	Computers	V8	
EPS No-loa (External power s wall outlet but dis	supply / charger	plugged in the	0.095 W	0.095 W	0.095 W				
PTEC *			W	W	W			\boxtimes	
Typical En ETEC *	ergy Cons	umption	65.38 kWh/year	66.64 kWh/year	70.33 kWh/year	E _{TEC} = (8760/100		25	
Annual En	ergy Cons	umption	05.56 KWII/yeai	00.04 KWII/yeai	70.55 KWII/yeai	$E_{TEC} = (8700/100) + P_{sleep} \times 0.35 + P_{short \ Idle} \times 0.30)$			
				OL Enabled; Psleep: Sleep		ed; Pidle: Idle State -	WOL Enabled		
		-		Efficiency Marking Pro	otocol) * : VI				
Display res			0 1						
-			ve mode: 15 minutes						
P9.2*			0,	on is provided with the	product.	1	\square		
P9.3	Energy efficiency class (monitors only):								
P10	Emissio		Declared according to	ISO 9296 (See NOTE	B0)				
P10.1	Mode		Iode description	130 9290 (See NOTE	Statistical upper limi	t A-weighted sound	d power level.	Lwag (B)	
	Idle		Idle (Operating)		* 2.6				
	Operatio	n *	HDD:Operation		* NA(No HDD) 5.4				
Other mode Declared A-weighted sound pressure level (dB) L_{pAm} 19.6 (operator position desktop – idle)									
	Other mo			d pressure level (dB) _{L_pAm}	44.5 (operator posit	tion desktop – opera	ating)		
	Measure	d accordir	ng to: 🔀 ISO 7779 [ECMA-74					
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	82WQ				Logo	Long		
Issue dat	te *	2023-1-31					Leno	VO	-
Product	environr	nental attribut	es - Market requirement	ts (continued)			Require	ment	met
Item							Yes	No	n.a
		nagnetic emissi							
P10.4	program	(s): MPR-II(3 pir	the requirement for low frequence of the second s	ency electromagneti	c fields of the foll	lowing volunt	ary 🔀		
P12	Ergonoi	nics for compu	ting products						
P12.1*	The disp	lay meets the er	gonomic requirements of ISC	0 9241-307 for visual	display technolo	gies.	\boxtimes		
P12.2*	The phy:	sical input device	e meets the requirements of I	SO 9995 and ISO 92	41-410.		\boxtimes		
P13	Packagi	ng and docume	ntation				· ·		
P13.1*	Product Product Product Product	packaging mater packaging mater packaging mater packaging mater	ial type(s): Corrugated Fibe ial type(s): paper (Handle) ial type(s): paper (manual) ial type(s): EPE Cushion ial type(s): paper bag weig ial type(s): bamboo fiber sc	weight (kg): 0.006 weight (kg): 0.050 weight (kg): 0.146 ht (kg): 0.0135					
P13.2*	Product	plastic primary p	ackaging is free from PVC.				\times		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-								
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	Ùser and		is item if paper documentatio entation on paper media is cl				\boxtimes		
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs					· · · ·	•	
P14.1			quirements of the following v	voluntary program(s):					
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15			(See NOTE B10)						
P9	NOTE: \$ the info supplied informa	Supplier makes rmation contain r's knowledge a tion. The inform	f specific configuration may no representations, guarar ed in this document. All im vailable at the time of com lation provided here is app e for more information.	ntees, assurances o formation provided pletion, and supplie	r warranties wh by supplier in t r shall have no	ether expres his docume obligation to	ss or implied, i nt is provided o update such	based	lon
P9	See Ene	rgy Star Qualifi	e for more mormation. ed Notebooks & Tablet Col ttps://www.energystar.gov/			ters			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion Pro 7 16IRX8H, Legion Y9000P IRX8H	Logo
Model number *	82WQ	
Issue date *	2023-1-31	Lenovo
Additional information		

	Product environmental attributes								
(d)	Year of manufacture:				2023				
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
	-	Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]			32					
lents sting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)				
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	<mark>No</mark> (Yes / No)	(Yes / No)				
cap	Discrete graphics Card(s) [number / #]	# <i>:</i> (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)			G7					
Test results	Etec Value (kWh) - dGfx disabled al discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			44.05					
Test	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			41.35					
(g)	Idle state power demand (Watts);	-		-	14.54				
(h)	Sleep mode power demand (Watts);				1.72				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.72				
(j)	Off mode power demand (Watts);				0.31				
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.31				
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):					
	10% 20% 50%	100% Avera	age						
(m)	External power supply efficiency (if applicable)*:								
	Average active efficiency: 330W: 93.33	%,93.75%							
(-)	*internal note: show values for all available external po		•	-4-6					
(o)	Minimum number of loading cycles that t	ine datteries can withs	tand (applies only to n	otebook computers):	300CYCLES				
(p-1)	 Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA 								
(p-2)	Measurement methodology used to dete EN 5050	rmine information mer 53:2011 measuremen		external PSU efficiend	sy:				

(p-3) Measureme	ent method	ology used to determine information mentioned in p EN 50563:2011 measurement methodo	points (o) – loading cycles batteries: plogy	
		ology used to determine information mentioned in r oint P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode	
		EN 62623:2013 measurement methodo	blogy	
(q) Sequence o	of steps for	achieving a stable condition with respect to power	demand::	
		Power on → Wait 5 minutes → Stable co	ndition	
(r) Description	of how sle	ep and/or off mode was selected or programmed:		
		Power on \rightarrow Wait 5 minutes \rightarrow Stable co	ndition	
(s) Sequence o off mode:		equired to reach the mode where the equipment au	, , , , , , , , , , , , , , , , , , ,	
	f idle state	to power management, 15 mins automatically r e condition before the computer automatically re	eaches sleep mode, or another	5
(u) Length of ti	ime after	not exceed the applicable power demand requirement a period of user inactivity in which the compute	r automatically reaches a power	NA
		er power demand requirement than sleep mode (in e the display sleep mode is set to activate after		15
		ergy-saving potential of power management functio		15
User info	ormation	described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all	
(x) User informa	ation on h	ow to enable the power management functionality:		
User info	ormation	described in User Guide and Power Manager un programs	nder Lenovo Vantage menu in all	
	ty supply s	neasurements: — test voltage in V and frequency in system, — information and documentation on the in ing:		
		230V, 50GHz, Total Harmonic Distortion	n <2 %	
Additional Notebool				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$		
Internal/built-in Batter	-			
External/detachable E	Battery			
Bios Backup Battery				
Other:				
Additional information	1			
		sily replaced by users themselves.		
as baterías de este producto no	o pueden se	одукт не може да се замени[ят] лесно от самите потребител r sustituidas fácilmente por los propios usuarios.	пи.	
ýměnu baterie/baterií v tomto v rugeren kan ikke uden videre u		eměli provádět sami uživatelé. priet/batterierne i dette produkt.		
	dukts kann/kö	onnen nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.	
μπαταρία[-ες] στο προϊόν αυτά	ό δεν μπορο	ύν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες		
a/les batterie(s présente(s) dan orisnik ne može lako zamijeniti		ne peuvent être facilement remplacée(s) par les utilisateurs eu n u ovom proizvodu.	ıx-mêmes.	
a batteria/le batterie in questo p etotāji paši nevar nomainīt šā r		può/possono essere facilmente sostituita/e dall'utente.		
o gaminio baterijos [baterijų] p	oats vartotoja	s negali lengvai pakeisti.		
batterija/batteriji f'dan il-prodot	tt ma tistax/ji	használó nem tudja egyedül egyszerűen kicserélni. stgħux tiģi/jiġu sostitwita/i mill-utenti stess.		
atteriet [ene] i dette produktet k e batterii(en) in dit product is (z		erstattes av brukerne selv. gebruiker niet gemakkelijk vervangbaar.		
żytkownik nie może sam w łatw				
ou as naterias deste produto n		ymienić baterii w tym produkcie.		
ateria (bateriile) din acest produ	não podem s lus nu poate	er facilmente substituídas pelos próprios utilizadores. (pot) fi usor înlocuită (înlocuite) de utilizatorii înșiși.		
	não podem s lus nu poate nôže vymieň	er facilmente substituídas pelos próprios utilizadores. (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. at používatel.		

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu urundeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.