

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemer	nts given in this declaration.
Type of product *	Notebook Computer
Commercial name *	Legion Slim 5 16IRH8; Legion Y7000P IRH8
Model number *	82YA
Issue date *	2023/03/17
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

P1 Hazardous substances and preparations P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, catbontetrachloride, 1,1,1- tichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment: Legal reference). P1.6* Protucts do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment: Legal reference). P1.6* Pratts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Image: Comment: Legal reference). P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.4* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference). P2.3* Batteries and accumulato	wodel n	umber *	82YA	Logo				
Item Yes No P1 Hazardous substances and preparations Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) Image: Comment: Legal reference has no maximum concentration value. P1.2* Products do not contain Asbestos (see legal reference). Image: Comment: Legal reference has no maximum concentration value. Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorcarbons (CFC), hydrobromfluorcarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1, 1, 1-trichloroethane, methyl bromide (see legal reference). Image: Comment: Legal reference has no maximum concentrations (see legal reference). Image: Comment: Legal reference has no maximum concentrations date do not contain more than 0, 10% short chain chloroparafins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Image: Comment: Maximit in legal reference when tested according to EN1811:2011-5. P1.7* PLACH Artice 33 information about substances in articles is available at (add URL or mail contact): mtps://www.lenov.com/us/en/Lenovo-REACH-SVHC-Disclosure Image: Comment. Legal reference) P2. Batteries or accumulators on torotain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) Image: Comment. Legal reference) P2. Batteries or accumulators are readily removable. (See legal reference) Image: Com1/Legal contain contain more than 0,0005% of me	lssue da	ate *	2023/03/17		Lend	Lenovo.		
Item Yes No P1 Hazardous substances and preparations Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) Image: Comment: Legal reference has no maximum concentration value. P1.2* Products do not contain Asbestos (see legal reference). Image: Comment: Legal reference has no maximum concentration value. Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorcarbons (CFC), hydrobromfluorcarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1, 1, 1-trichloroethane, methyl bromide (see legal reference). Image: Comment: Legal reference has no maximum concentrations (see legal reference). Image: Comment: Legal reference has no maximum concentrations date do not contain more than 0, 10% short chain chloroparafins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Image: Comment: Maximit in legal reference when tested according to EN1811:2011-5. P1.7* PLACH Artice 33 information about substances in articles is available at (add URL or mail contact): mtps://www.lenov.com/us/en/Lenovo-REACH-SVHC-Disclosure Image: Comment. Legal reference) P2. Batteries or accumulators on torotain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) Image: Comment. Legal reference) P2. Batteries or accumulators are readily removable. (See legal reference) Image: Com1/Legal contain contain more than 0,0005% of me	Produc	t environ	mental attributes - Legal requirements		Require	ment	t met	
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment. Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphonyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm?/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenov.com/us/en/Lenovo.AREACH-SWEC-Disclosure P2.1* If the product contains a battery or an accumulator is labeled with the disposal			v i				n.a.	
P1.2* Products do not contain Asbestos (see legal reference). □ Comment. Legal reference has no maximum concentration value. □ Products do not contain Zone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromfluorocarbons (HBFC), hydrobromfluorocarbons (HEC), Halons, carbonetrachloride, 1, 1, 1-trichloreethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. □ P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). □ P1.5* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). □ P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm²/week (see legal reference). □ Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Atrice 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en1/Lenov-REACH-SVHC-Disclosure □ P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference). □ P2.1* Batteries and accumulators are readily removable. (See legal reference). □ P2.3* Batteries and accumulat	P1	Hazardo	ous substances and preparations					
Comment: Legal reference has no maximum concentration value. Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorcarbons (ICFC), hydrochetrachloride, 1,1,1-trichlorocathons (HBFC), hydrochiorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichlorocathons (HBFC), hydrochiorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichlorocathons more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.4* Products do not contain more than; 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm?/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): mitps://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries or accumulators are readily removable. (See legal reference) P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference). P2.2* Batteries or accumulators are readily removable. (See legal reference). P3. Conformity verification & Eco design (ErP)	P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes			
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Concentration values. P1.5* Products do not contain more than; 0,005% hold chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Image: Concentration values. P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Image: Concentration values. P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Image: Concentration values. P1.7* REACH Article 3: availables is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure Image: Concentration on proper disposal is provided in user manual. (See legal reference) P2.1* If the product contain are readily removable. (See legal reference) Image: Conformity verification & Eco design (EP) P2.3* Batteries an accumulators are readily removable. (See legal reference) Image: Conformity verification & Eco design (EP)	P1.2*				\boxtimes			
P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Content of Contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P3.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* <td>P1.3*</td> <td>Products hydrobro trichloro</td> <td>s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m</td> <td></td> <td></td> <td></td> <td></td>	P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m					
P1.5* Products do not contain more than 0, 1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.3* Batteries or accumulators do not contain more than 0,000% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is cE-marked to show conformance with applicable legal requirements (see legal reference). P3.1* The product complises with the Eco design requirements for energy-related products, (see legal reference). P3.2* The product complies were due due due to this document, available at (add URL): https://www.lenovo.com/us/en/compliance/uc-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). <t< td=""><td>P1.4*</td><td>Products</td><td>s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych</td><td>lorinated</td><td>\boxtimes</td><td></td><td></td></t<>	P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes			
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators are readily removable. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/uk-doc for EU ; https://www.lenovo.com/us/en/compliance/uk-doc for EU ; https://www.lenovo.com/us/en/compliance/uk-doc for EU ; https://www.lenovo.com/us/en/compliance/uk-doc for EU products, (see legal reference). P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). P4.4* P3.1* The packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.1* Packaging and packaging componenets do not contain more than 0,01% lead, me	P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb	oon atoms in t	the 🔀			
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.1* The product soce.com/us/en/compliance/uu-doc for EU; https://www.lenovo.com/us/en/compliance/uu-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, and advalable at (add URL); https://www.lenovo.com/us/en/compliance/eco-declaration P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product pack	P1.6*	Parts wi (see leg	ek 🔀					
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.1* The product compliance/subject of preceduation of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/subject for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): https://www.lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference		REACH https://	Article 33 information about substances in articles is available at (add URL or mail o www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):				
symbol. Information on proper disposal is provided in user manual. (See legal reference) Image: Symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Ecc design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.1* The product is CE-marked to show conformance (add link or e-mail address): https://www.lenovo.com/us/en/compliance/uk-doc for EU ; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, Mavailable at (add URL): https://www.lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers in								
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) □ P2.3* Batteries and accumulators are readily removable. (See legal reference) □ P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). □ P3.2* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). □ P3.2* The product compliance/uk-doc for UK □ P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). □ Required information is; □ □ □ Matteries information is; □ □ □ P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and □ □ P5.2* The product packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) □ P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). □ P5.3* The product packaging material is no maximum concentration values. □ P6 Treatment inform	P2.1*			he disposal	\bowtie			
P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/uu-doc for EU ; https://www.lenovo.com/us/en/compliance/uu-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; □ given in item P15 or added to this document, □ □ Maximizer □ P5.1* Packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Used (see legal reference). Comment: Legal reference). □ P6 Treatment information	P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See leg	jal 🔀			
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). Image: Conformation of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Image: Conformation is: Conformatis: Conformation is: Conformation is: Conformati	P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\square			
The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). given in item P15 or added to this document, Qavailable at (add URL): https://www.lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol P6 Treatment information	P3	Conforr	nity verification & Eco design (ErP)					
P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Image: Compliance of the product products of the product product of the product p	P3.1*	The Dec https://	laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU ;	gal reference)				
(see legal reference). Required information is; given in item P15 or added to this document, Image: Comparison of the second comparison of the se	D3 0*							
Available at (add URL): https://www.lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	F J.Z							
P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) is used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information			available at (add URL):					
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	_							
hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information				· · · · · · ·				
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Image: Comparison of the material (s) P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Image: Comparison of the material (s) P6 Treatment information	P5.1*	Packagi hexaval	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium a	and 🔀	Ш		
(see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		The pac used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).					
P6 Treatment information	P5.3*	(see leg	al reference).	Iontreal Proto	ocol 🔀			
	P6							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	82YA Logo	1.000				
Issue da	te *	2023/03/17	Len	ovc	т		
Product	environ	mental attributes - Market requirements (See General NOTE GN below)			_		
Trouuc			Require	ment i	net		
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7		Disassembly, recycling					
P7.1*		t have to be treated separately are easily separable					
P7.2*		naterials in covers/housing have no surface coating.		\boxtimes			
P7.3*		arts > 100 g consist of one material or of easily separable materials. arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.					
P7.4*		\square					
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*		ng can be done using commonly available tools	\square				
P7.9		arts are available after end of production for: 3 years					
P7.10	Service i	s available after end of production for: 3 years					
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):					
	Material Material Material	type:Magnesium Aluminum AlloyMaterial type:Material type:PCMaterial type:PC+ABStype:Aluminum 5052RMaterial type:PC+ABSMaterial type:PC+4Ctype:SGCCMaterial type:SK7+Fe8NiMaterial type:PC+ABStype:SUS304SK7+Fe8NiMaterial type:PC+ABS	0% GF	alc			
P7.12		n materials of external electrical cables are PVC free.		\boxtimes			
P7.13							
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1 (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, ar chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin n 25% post-consumer recycled content.	nd				
P7.15		arcuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g □are low haloge ad in IEC 61249-2-21. (See 1NOTE B2)	en 🛛				
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40)<	\boxtimes				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: 35948-25-5					
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: <i>FR(40)</i>	\boxtimes				
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	in				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: >FR(40)<	\boxtimes				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been I the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	\square				
	a) Oft	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as centage of total plastic by weight) is 1.4% .	a				
		weight of recycled material is 9.75 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	82YA				Logo		
Issue dat	e *	2023/03/	(17				Lenovo	D
Product	environm	ental at	tributes - Market r	equirements (cont	inued)		Requiremen	nt met
Item							Yes No	n.a.
	Material a	and subs	stance requirements	(continued)				
P7.21*	Biobased	plastic m	naterial content is use	d in the product (See N	NOTE B7):			
	a) Of to total or	tal plastic plastic b		·	/ered; naterial content (calcula	ated as a percenta	je of	
P7.22*				less than 0,1 mg/lamp).			
	,	is used	specify: Number of la	mps: and maxin	num mercury content p	er lamp: mg		
P8	Batteries							
P8.1*			omposition: <i>Li-polym</i>	er				
P9 P9.1			tion (See NOTE B8)	ls or energy consumpt	ions are reported:			
Energy mo			Power level at	Power level at	Power level at	Reference/Stan	dard for energy	
5,			100 V AC	115 V AC	230 V AC	modes and test		
Peak (On-	-max)		170 W	170 W	170 W	Full load	_	
Categor	<u> </u>							
Short Idle Enabled	State - WC	DL	14.46 W	14.59 W	15.11 W	ENERGY STAR (Pidle)	R Computers V8	
Long Idle Enabled	State - WO	L	2.95 W	3.05 W	3.31 W	ENERGY STAR	R Computers V8	
Sleep (S3)) - WOL En	abled	1.08 W	1.09 W	1.09 W	ENERGY STAR	R Computers V8	
Off (S5) -	WOL Enabl	ed	0.27 W	0.27 W	0.29 W	ENERGY STAR	R Computers V8	
EPS No-lo (External power	ad supply / charger pl sconnected from th	ugged in the	0.061 W	0.063 W	0.086 W			
PTEC *	ergy Consu		W	W	W			\square
ETEC *	ergy Consu		44.49kWh/year	44.93 kWh/year	46.58 kWh/year	ETEC = (8760/1000 Psleep x 0.35 + Plon Pshort Idle x 0.30)		
					p Mode(S3) - WOL Enabl	ed; Pidle: Idle State -	WOL Enabled	
				I Efficiency Marking Pr	otocol) * : VI			
			00 megapixels					
Default tim	ne to enter e	nergy sa	ve mode: 15 minutes					
P9.2*	Informatio	n about f	the energy save funct	ion is provided with the	e product.			
P9.3	Energy ef	ficiency o	class (monitors only):					\boxtimes
P10	Emission							
D (0, (J.	o ISO 9296 (See NOT				
P10.1	Mode Idle		lode description		* 2.8	nit A-weighted soun	d power level, <i>L_{WA,c}</i>	(B)
					* 3.4			<u> </u>
	Operation		CPU operatng eclared A-weighted sour	d prossure level (dP)		Man dealers and the		
	Other mod		<i>eclared A-weighted sour</i>	a pressure ievei (aB)	21.0 (operator pos	ition desktop – idle)		
	Other mod	de 🛛	peclared A-weighted sour	d pressure level (dB)	27.7 (operator pos	ition desktop – oper	ating)	
	Measured		ng to: 🛛 ISO 7779 🛛 Other	ECMA-74	v FCMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

THE ECO DECLARATION

Model nu	umber *	82YA			Logo	Low			
lssue da	te *	2023/03/17				Lenov		O _m	
Product met	t environ	mental attributes - M	larket requirements (c	ontinued)	·	Require	ment	-	
Item						Yes	No	n	
	Electro	magnetic emissions							
P10.4	Comput		quirement for low frequency	y electromagnetic fields	of the following volunt	ary 🔀		С	
P12		mics for computing pi							
P12.1*	The dis	play meets the ergonom	ic requirements of ISO 924	1-307 for visual display	/ technologies.		\boxtimes	Γ	
P12.2*	The phy	sical input device meets	s the requirements of ISO	9995 and ISO 9241-410).			T	
P13	Packag	ing and documentatio	n						
P13.1*	Product Product Product Product	packaging material type packaging material type packaging material type packaging material type	e(s): Corrugated Fiberboa e(s): Corrugated Fiberboa e(s): PE Cushion weight e(s): Paper Cushion e(s): PE Bag weight e(s): Paper documents	ard weight (kg	weight (kg): <i>0.408</i>): <i>0.049</i>				
P13.2*		plastic primary packagi		5 (5)		\boxtimes		Г	
P13.3*		duct primary corrugated er recovered fiber conte	d fiberboard packaging, s	pecify the contained pe	ercentage of minimum			Ē	
P13.4*	Specify		duct documentation (tick bo	bx):				C	
P13.5	Ùser an		if paper documentation us n on paper media is chlorii				\boxtimes		
	Elemen	chlorine-free tal chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro Eco-lab Eco-lab Eco-lab	duct meets the requiren el: ENERGY STAR® el: EPEAT 2018	nents of the following volun Criteria version: <i>8.0</i> Criteria version: <i>2018</i> Criteria version: Date:	tary program(s): Date: 2023.03.17 Date: 2023.03.17 Date:	Product category: Ca Product category: No Product category: Product category:				
P15		nal information (See N							
P9	NOTE: the info supplie informa	Supplier makes no rep ormation contained in a r's knowledge availab	ific configuration may val presentations, guarantees this document. All inform le at the time of completi provided here is approxi- provided here is approxi-	s, assurances or warra nation provided by sup on, and supplier shall	anties whether expres oplier in this documer have no obligation to	ss or implied, nt is provided o update such	based	or	
P9	See En	ergy Star Qualified No	tebooks & Tablet Compu dex.cfm?fuseaction=find	ters for the latest info _a_product.showProd	rmation: luctGroup&pgw_code	e=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Legion Slim 5 16IRH8; Legion Y7000P IRH8	Logo
Model Number	82YA	
Issue Date	2023/03/17	Lenovo
Additional information		

(d)	Product environmental attributes Year of manufacture:				2023			
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]			32				
nents sting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)			
adjustn ring te:	Discrete television tuner	(Yes / No)	(Yes / No)	<mark>No</mark> (Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)			
capa appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	YES #: 1 (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)			G5				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			11.16				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
(g)	Idle state power demand (Watts);	•			3.311			
(h)	Sleep mode power demand (Watts);				1.093			
(i)	Sleep mode with WOL enabled power of	lemand (Watts) (where	enabled);		NA			
(j)	Off mode power demand (Watts);				0.285			
(k)	Off mode with WOL enabled power demand (Watts) (where enabled); NA							
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10% 20% 50%	100% Avera	age					
(m)	External power supply efficiency (if appleted ap		;Delta: 92.53%					
(0)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to r	notebook computers):	300			
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	internal PSU efficiency				
(p-2)	Measurement methodology used to dete		ntioned in points (m) -	- external PSU efficien	cy:			
	EN 505	63:2011 measuremen	t methodology					

(p-3)	Measurement metho	dology used to determine information mentioned in p	points (0) – loading cycles batteries:			
(P 9)	Medearement metho	EN 61960 measurement methodolog				
			-			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
		EN 61960 measurement methodolog	gy			
(q)	Sequence of steps for	r achieving a stable condition with respect to power	demand::			
		EN 61960 measurement methodolog	gy			
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	ff mode			
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut	tomatically changes to sleep and/or			
		base on User Guide				
(t)		e condition before the computer automatically re		15 min		
(u)		not exceed the applicable power demand requirement a period of user inactivity in which the compute				
(u)		ver power demand requirement than sleep mode (in		NA		
(v)		re the display sleep mode is set to activate after		5 min		
(w)	Information on the er	ergy-saving potential of power management function	nality:			
		Refer to User Guide				
(x)	User information on I	now to enable the power management functionality:				
		Refer to User Guide				
(Z)			strumentation, set-up and circuits			
	al Natabaak Dattar	230V, 50Hz, Total Haemonic Distortion	<2%			
Addition	al Notebook Batter	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
			Dattery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{}$				
Internal/b	ouilt-in Battery					
	detachable Battery					
	kup Battery					
Other:						
Additiona	l information					
кумулаторна	та[ите] батерия[и] в този пр	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител	и.			
		er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé.				
rugeren kan il	ke uden videre udskifte bat	eriet/batterierne i dette produkt.				
	kkus dieses Produkts kann/ł a selle toote akut/akusid ise	können nicht ohne weiteres vom Benutzer selbst ausgetauscht w hölpsasti asendada.	verden.			
μπαταρία[-ες] στο προϊόν αυτό δεν μπορ	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu	v mêmoo			
orisnik ne mo	že lako zamijeniti Bateriju sa	m u ovom proizvodu.	x-memes.			
	atterie in questo prodotto no evar nomainīt šā ražojuma a	n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us).				
io gaminio bat	terijos [baterijų] pats vartotoj					
batterija/batte	riji f'dan il-prodott ma tistax/	jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.				
	dette produktet kan ikke let	erstattes av brukerne selv				
	n dit product is (ziin) door de	e gebruiker niet gemakkelijk vervangbaar.				
	może sam w łatwy sposób v	e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie.				
ou as bateria ateria (bateriil	może sam w łatwy sposób w s deste produto não podem e) din acest produs nu poate	e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. e (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși.				
ou as bateria ateria (bateriil atériu(-ie) v to	może sam w łatwy sposób w s deste produto não podem e) din acest produs nu poate mto výrobku nemôže vymie	e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. e (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși.				
ou as bateria ateria (bateriil atériu(-ie) v to aterij/baterije ämän tuotteer	może sam w łatwy sposób i s deste produto não podem e) din acest produs nu poate mto výrobku nemôže vymie v tem izdelku uporabniki sar n akku [akut] ei[vät] ole helpo	• gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituidas pelos próprios utilizadores. • (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. ñat' používateľ. ni ne morejo zlahka zamenjati. vsti käyttäjän vaihdettavissa.				
ou as bateria ateria (bateriil atériu(-ie) v to aterij/baterije amän tuotteer et är inte enke	może sam w łatwy sposób v s deste produto não podem e) din acest produs nu poate mto výrobku nemôže vymie v tem izdelku uporabniki sar n akku [akut] ei[Vät] ole helpo el főr kunden att själv byta u	• gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituidas pelos próprios utilizadores. • (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. ñat' používateľ. ni ne morejo zlahka zamenjati. vsti käyttäjän vaihdettavissa.				