



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook Computer			
Commercial name *	ThinkBook 15 G5 IRL / Zhoayang X5-15IRP			
Model number *	21JD,83B7			
Issue date *	2023/02/24			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		21JD	Logo	Long) / C		
Issue date *		2023/02/24		Lend	ρVO	ты	
Product	environ	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes			
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes			
P1.3*	Comment: Legal reference has no maximum concentration value. Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),						
P1.3	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-						
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
	concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week						
		al reference).					
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):						
		www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	ornaoty.		ш	ш	
P2	Batterie	S					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal				
D0.04		Information on proper disposal is provided in user manual. (See legal reference)			_		
P2.2*	reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	iium. (See lega	al 🔀	Ш	ш	
P2.3*		s and accumulators are readily removable. (See legal reference)		\boxtimes			
P3		nity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	al reference)				
		laration of Conformity can be requested at (add link or e-mail address):	,		ш	ш	
	https://v	<u>vww.lenovo.com/us/en/compliance/eu-doc</u> for EU ;					
		www.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*	The prod (see lega	luct complies with the Eco design requirements for energy-related products, al reference).					
	Required	I information is; Silven in item P15 or added to this document,					
		available at (add URL):					
		www.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/, cadmium a	nd 🔀	\square		
P5.2*		ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature o	of the material	(s)	$\overline{}$		
1 J.Z	used (se	e legal reference).			Ш		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol						
		al reference). nt: Legal reference has no maximum concentration values.				_	
P6		nt: Legal reference has no maximum concentration values.					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).					
1 0.1	ioimati	on to recycle of the attrict racinities is available (see legal releasine).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Issue date *	2023/02/24		_enc		
					тн
- Envir	nmental attributes - Market requirements (See General NOTE GN commental conscious design		equirer		net
	story to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
	Disassembly, recycling				
	at have to be treated separately are easily separable			Ц_	Щ
	naterials in covers/housing have no surface coating.				
	parts > 100 g consist of one material or of easily separable materials.				\boxtimes
P7.4* Plastic	parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5 Plastic	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6* Labels	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				
	t lifetime				
P7.7* Upgrad	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8* Upgrad	ng can be done using commonly available tools		\boxtimes		
P7.9 Spare p	arts are available after end of production for: 3 years				
P7.10 Service	is available after end of production for: 3 years				
	and substance requirements				
	cover/housing material type (e.g. plastics, metal, aluminum):				
		al type: PC+ABS+1	<u>TPU</u>		_
	n materials of external electrical cables are PVC free.		Щ.		<u>Ц</u>
	n materials of internal electrical cables are PVC free.			<u> </u>	Ц.
weight polyviny	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, and		Ш	
	circuit boards, PCBs (without components) are low halogen: all \Box PCBs > 25 g $oxed{oxed{\subset}}$ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen			
Marking	etarded plastic parts > $\overline{25}$ g in covers / housings are marked according ISO 1043-4: : $FR(40)$ <				
	hemical specifications of flame retardants in printed circuit boards > 25 g (without corpa (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 3590				
accordi	hemical specifications of flame retardants in printed circuit boards (without compone ng ISO 1043-4: <i>FR(16)</i>				
concent 1. Chen 2. Chen	lame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: sical name: Oligomeric phosphorous compound, CAS #: Confidential (See NOT sical name: , CAS #: " sical name: , CAS #: "				
	hemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
assigne	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which d the following Risk phrases; and Hazard statements:				
		See note B5)			
If YES; a) Of a p or	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 6.74%. e weight of recycled material is 32.29g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	21JD	Logo	Lend	240	
Issue date *	2023/02/24		Lend		114
Product environr	nental attributes - Market requirements (continued)		Require	emen	t met
Item			Yes	No	n.a.

		tance requirements	(continued) in the product (See N	OTE D7):				
	•			•		Ш		
a)		parts' weight > 25 g,	s below shall be answe the biobased plastic m		ated as a percentage of			
or	total plastic by	/ weight) is /o.						
b)		the biobased plastic n						
		ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp. nps: and maxim	ium mercury content pe	er lamp: mg	Ш		
	teries							
		omposition: <i>Li-polyme</i>	er					
	Energy consumption (See NOTE B8) For the product the following power levels or energy consumptions are reported:							
P9.1 For	the product the	following power levels	s or energy consumption	ons are reported:				
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	Ш		
Peak (On-max)		65 W	65 W	65 W	Full load			
Category 2								
Short Idle State Enabled	e - WOL	6.34 W	6.38 W	6.17 W	ENERGY STAR Computers V8 (P _{idle})			
Long Idle State Enabled	e - WOL	1.11 W	1.09 W	1.04 W	ENERGY STAR Computers V8 (P _{idle})			
Sleep (S3) - WC	OL Enabled	1.11 W	1.09 W	1.04 W	ENERGY STAR Computers V8 (P _{idle})			
Off (S5) - WOL Enabled		0.30 W	0.30 W	0.30 W	ENERGY STAR Computers V8 (P _{idle})			
Category 1								
Short Idle State Enabled	e - WOL	6.00 W	6.33 W	5.91 W	ENERGY STAR Computers V8			
Long Idle State Enabled	e - WOL	1.10 W	1.11 W	1.07 W	ENERGY STAR Computers V8			
Sleep (S3) - WC	OL Enabled	1.10 W	1.11 W	1.07 W	ENERGY STAR Computers V8			
Off (S5) - WOL	Enabled	0.28 W	0.28 W	0.29 W	ENERGY STAR Computers V8			
EPS No-load		0.028 W	0.033 W	0.077 W				
(External power supply / wall outlet but disconnected	charger plugged in the ed from the product.)							
PTEC *		W	W	W		\boxtimes		
Typical Energy	Consumption	0.40	0 10 10 10	0 10 10 70	- (0700 (4000)			
ETEC * Annual Energy (Consumption	Cat2: 19.40kWh/year	Cat2: 19.40 kWh/year	Cat2: 18.72 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10 + P_{short Idle} \times 0.30)$			
ETEC * Annual Energy (Consumption	Cat1: 18.57kWh/year	Cat1: 19.34 kWh/year	Cat1: 18.26 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30)			
					ed; P _{idle} : Idle State - WOL Enabled			
		• •	Efficiency Marking Pro	otocol) * : VI		Ц_		
Display resolution		<u> </u>						
	Default time to enter energy save mode: 5 minutes							
P9.2* Info	rmation about t	he energy save function	on is provided with the	product.				
P9.3 Ene	rav efficiency c	lass (monitors only).				\overline{M}		

NOTE B8 A Guidance document on Energy Efficiency is available;

 $see \hspace{0.2cm} \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}$

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions				
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)		
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)		
Ì	Idle	* Idle	* 2.7		
	Operation	* CPU operatng	* 3.6		
1	Other mode	Declared A-weighted sound pressure level (dB) $_{L_{p\mathrm{Am}}}$	21.3 (operator position desktop – idle)		
	Other mode	Declared A-weighted sound pressure level (dB) $_{L_{p\mathrm{Am}}}$	29.7 (operator position desktop – operating)		
	Measured according to: ☐ ISO 7779 ☐ ECMA-74				
		Other (only if not covered by E	ECMA-74)		



Model nu	ımber *	21JD			Logo	Long	V/0
Issue dat	te *	2023/02/24				Leno	VO _M
Product met	environr	nental attributes - M	arket requirements (co	ntinued)		Require	ment
Item						Yes	No n.
		nagnetic emissions					
P10.4	program	(s):	uirement for low frequency	electromagnetic fields	of the following volunta	ry 🗌	
P12		nics for computing pro					
P12.1*		, ,	c requirements of ISO 9241		•		
P12.2*	The phys	sical input device meets	the requirements of ISO 99	995 and ISO 9241-410			
P13		ng and documentatior					
P13.1*	Product Product Product Product Product	packaging material type packaging material type packaging material type packaging material type packaging material type packaging material type	(s): Ocean-bound plastic (s): polyethylene cushion (s): Coated Paper	od carboard(E Flute) weight (kg): 0.005 bag weight (kg	weight (kg): 0.0307		
P13.2*	Product	plastic primary packagir	ng is free from PVC.			\boxtimes	
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90 %						
P13.4*		media for user and prod ronic, ⊠Paper, ⊡Oth	uct documentation (tick box er):			
P13.5	Ùser and		if paper documentation used n on paper media is chlorine				
	Element	hlorine-free al chlorine-free ed chlorine-free					
P14	Volunta	ry programs					
P14.1	The prod	duct meets the requirem ol: ENERGY STAR® ol: EPEAT 2018 ol:	ents of the following volunta Criteria version: 8.0 Criteria version: 2018 Criteria version: Date:	ary program(s): Date: 2023.02.24 Date: 2023.02.24 Date:	Product category: Ca Product category: No Product category: Product category:		
P15	Addition	nal information (See N	OTE B10)				
P9			ic configuration may vary				
	NOTE: S the info supplier informa Accoun	Supplier makes no rep mation contained in to s knowledge availabl tion. The information p t Representative for m	resentations, guarantees, his document. All informa e at the time of completion provided here is approxim ore information.	assurances or warra tion provided by sup n, and supplier shall ate and provided for	nties whether expres plier in this documen have no obligation to informational purpos	s or implied, i t is provided i update such	based on
P9	See Ene	rgy Star Qualified Not ww.energystar.gov/ind	ebooks & Tablet Compute lex.cfm?fuseaction=find_e	ers for the latest info a_product.showProd	rmation: /uctGroup&pgw_code	=CO	

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Annex B1 of ECMA-370 5th edition

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkBook 15 G5 IRL, Zhaoygang X5-15 IRP, Lenovo X5-15 IRP	Logo	
Model Number	21JD,83B7		Longvo
Issue Date	2023/02/24		Lenovo.
Additional information			

d)	Year of manufacture:				2023		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
(f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dC enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	48					
ents	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	No					
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	12.07					
Test	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);	•			3.46		
h)	Sleep mode power demand (Watts);						
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.18		
j)	Off mode power demand (Watts);						
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.37		
1)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
(m)	External power supply efficiency (if appli Average active efficiency: <i>Liteon: 90.8</i>	5% ;Ćhicony: 91.73%	;Delta: 92.29% ;Ace	bel: 89.65%			
(o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to r	notebook computers):	300		
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	nternal PSU efficiency			
(p-2)	Measurement methodology used to dete		ntioned in points (m) -	external PSU efficience	cy:		
	EN 5050	63:2011 measuremen	t methodology				

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:					
		EN 61960 measurement methodolog	gy			
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
	EN 61960 measurement methodology					
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
		EN 61960 measurement methodolog	gy			
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	ff mode			
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut	tomatically changes to sleep and/or			
		base on User Guide				
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		5 min		
(u)		r a period of user inactivity in which the compute		***		
,	mode that has a low	ver power demand requirement than sleep mode (in	minutes):	NA		
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 5 min					
(w)	Information on the er	nergy-saving potential of power management function	nality:			
		Refer to User Guide				
(x)	User information on I	now to enable the power management functionality:				
		Refer to User Guide				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the institution:				
		230V, 50Hz, Total Haemonic Distortion	<2%			
Addition	<mark>al Notebook Batter</mark>					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	uilt-in Battery					
External/o	detachable Battery					
Bios Back	kup Battery					
Other:						
Additiona	l information					
)						

The batterylies in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tigi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.