



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter		LEITOVO				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Desktop			
Commercial name *	ThinkCentre M70q Gen 4			
Model number *	12E3,12E4,12E5,12E6,12E7,12E8,12ES,12ET,12EU,12EV,12EW,12EX,12EY,12F0,12KL,12KM			
Issue date *	2023-1-4			
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other			
Additional information	ENERGY STAR & EPEAT (12E4,12E5,12E6,12E7,12E8,12ES,12ET,12EY,12F0,12KL,12KM)			
	TCO;GreenGuard			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	12E3,12E4,12E5,12E6,12E7,12E8,12ES,12ET,12EU,12EV,12EW,12EX,12EY,12F0,12KL,12KM	Logo	Lenovo
Issue date *	2023-1-4		THE STATE OF THE

Product	environmental attributes - Legal requirements	Require	men	t met
Item	· .	Yes	No	n.a.
P1	Hazardous substances and preparations			•
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
P1.3*	Comment: Legal reference has no maximum concentration value. Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
P1.3"	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
P1.4	terphenyl (PCT) in preparations (see legal reference).	\boxtimes	Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
P1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*				
P 1.0	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).		Ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$	
P1.1	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-	\boxtimes	Ш	
	Disclosure			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
FZ.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes	Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal		$\overline{}$	$\overline{}$
F Z.Z	reference)		Ш	Ш
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			П
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square	П	$\overline{}$
	The Declaration of Conformity can be requested at:		ш	ш
	https://www.lenovo.com/us/en/compliance/eu-doc for EU and			
	https://www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*	The product complies with the Eco design requirements for energy-related products,	X		
	(see legal reference).		ш	ш
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at: https://www.lenovo.com/us/en/compliance/eco-			
	declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	1 🔽	$\overline{}$	
F3.1	hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco	1 X		
	(see legal reference).	<u>~_</u> 3		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	12E3,12E4,12E5,12E6,12E7,12E8,12ES,12ET,12EU,12EV,12EW,12EX,12EY,1 2F0,12KL,12KM	Logo	Lenovo	
Issue date *	2023-1-4			l .

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		equire		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7 P7.1*	Design, Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	_		
P7.3*			<u> </u>	-
	Plastic parts > 100 g consist of one material or of easily separable materials.		井	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		ᆜ	X
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u>Ц</u>	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
D7 7*	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u>Ц</u>	Щ
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: PC+ABS Material type: PC Material type: Insulation materials of external electrical cables are PVC free.		\square	
P7.13	Insulation materials of external electrical cables are PVC free.	-		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		$\underline{\underline{X}}$	-
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	\boxtimes	Ш	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)		\boxtimes	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	_		
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	\bowtie		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:	\boxtimes		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	-		
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	-#-	+	
1.13	assigned the following Risk phrases; and Hazard statements:	Ш	Ш	
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			\square
		ш	ш	
	If YES; at least one of the two alternatives below shall be answered;			
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 16.12%. 			
	or			
	b) The weight of recycled material is 16.2 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	12E3,12E4,12E5,12E6,12E7,12E8,12ES,12ET,12EU,12EV,12EW,12EX,12EY,12F0,12KL,12KM	Logo	Lenovo	
Issue date *	2023-1-4			

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

D7 04*	Material and substance requirements (continued) Biobased plastic material content is used in the product (See NOTE B7):							
P7.21*	•			•				
	,		es below shall be answe	,				
	 a) Of total plastic b 		the biobased plastic m	aterial content (calculat	ed as a percentage of			
	or	y weight) is 70.						
	b) The weight of	the biobased plastic r	material is g.					
P7.22*			less than 0,1 mg/lamp.					
D0		specify: Number of lar	nps: and maxim	um mercury content per	r lamp: mg			
P8	Batteries	amanaaitian. Lithium I	Annunnan Dinwida					
P8.1*		omposition: Lithium N	nanganese Dioxide					
P9 P9.1		tion (See NOTE B8)	s or energy consumption	one are reported:				
Energy mod		Power level at	Power level at	Power level at	Reference/Standard for energy			
Lifelgy files	uo	100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-r	nax)	W	W	W	Full load			
Catanan	. 10							
Category	Category I2							
Short Idle	State - WOL	14.7 W	12.2 W	9.6 W	ENERGY STAR Computers V8			
Enabled					(P _{idle})			
Long Idle S	State - WOL	10.6 W	8.2 W	8.2 W	ENERGY STAR Computers V8			
Enabled					(P _{idle})			
Sleep (S3)	- WOL Enabled	2.5 W	2.5 W	2.5 W	ENERGY STAR Computers V8			
					(P _{sleep})			
Off (S5) - V	VOL Enabled	0.8 W	0.8 W	0.8 W	ENERGY STAR Computers V8			
					(P _{off})			
Off (S5) - V	VOL Disabled	N/A W	N/A W	0.24 W	Use for ErP			
EPS No-loa	اد	W	0.1032 W	0.1416 W				
	IO upply / charger plugged in the	l vv	0.1032 VV	0.1416 VV				
wall outlet but disc	connected from the product.)	147	14/	147	57			
PTEC *	ergy Consumption	W	W	W				
ETEC *	rgy Consumption	12: 58.8 kWh/year	12: 50 kWh/year	12: 43.3 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$			
-	ergy Consumption	12, colo kviliyodi	12. 00 KVIII y odi	12. 4010 KWIII you	$+ P_{\text{sleep}} \times 0.05 + P_{\text{long_Idle}} \times 0.15 +$			
					P _{short_Idle} x 0.35)			
External Da	wor Supply Efficien				Enabled; P _{idle} : Idle State - WOL Enabled			
			l Efficiency Marking Pro	NOCOI) . VI				
Display res		egapixels			<u> </u>			
		ve mode: 25 minutes						
P9.2*			on is provided with the	product.				
P9.3		class (monitors only): I	V/A					
P10	Emissions	D	10.0 0000 /O NOTE	· DO				
P10.1			ISO 9296 (See NOTE		t A weighted cound never level / (D)			
r IU. I	Idle *	Mode description HDD:Idle		* 3.5	A-weighted sound power level, L _{WA,c} (B)			
	Operation *	HDD: Operating		* 3.6				
			d pressure level (dB) $L_{p{\sf Am}}$		n dockton idle)			
					<u> </u>			
	Other mode	eciared A-weighted soun	d pressure level (dB) $L_{p m Am}$	25 (operator position	n desktop – operating)			
	Measured according	ng to: 🔀 ISO 7779 🗌	ECMA-74					
		Other	(only if not covered by	FCMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		2F0,12KL,12KM Lenovo										
Issue date	*	2023-1-4									U U	
Product	environn	nental attribu	ıtes - Market	require	ments	(continued)			Re	quire	ment	met
Item						•				Yes	No	n.a.
	Electron	nagnetic emis	sions									
P10.4	Compute program		s the requireme	ent for low	/ freque	ncy electroma	gnetic fields	of the following vo	oluntary			
P12		nics for comp										
P12.1*	•	lay meets the e	•					•				\boxtimes
P12.2*	The phys	sical input devi	ce meets the re	quiremer	its of IS	O 9995 and IS	O 9241-410			\boxtimes		
P13		ng and docum										
P13.1*	Product Product Product	packaging mate packaging mate packaging mate packaging mate	erial type(s): <i>Pa</i> erial type(s): <i>Pl</i> erial type(s): co	aper - Co astic - Ps orrugated	rrugate S (polys I Fiberb	d single wall tyrene)	weight (kg weight (kg weight (kg weight (kg): 0.337): 0.015	(kg): 0.083			
P13.2*	Product	plastic primary	packaging is fr	ee from P	VC.					\boxtimes		
P13.3*	consume	er recovered fib	er content: 70	%			ontained pe	ercentage of mini	mum post-			
P13.4*		nedia for user a onic, ⊠Paper		cumentat	ion (tick	box):						
P13.5	(Please	only complete t I product docur ease specify:	his item if pape							\boxtimes		
	Elementa	hlorine-free al chlorine-free ed chlorine-free										
P14	Volunta	y programs										
P14.1		luct meets the	requirements o	f the follo	wing vol	untary prograi	m(s):					
245	Eco-labe		Criteria v	version: 9		Date: 2 Date: Date: 2	022.12.7 023.3.1	Product category Product category Product category	: Desktop			
P15		al information			n may i	vary: doscrin	tion of the t	ested product co	onfiguration			
F9	Test ite			Memor y		SSD (M.2)	Graphics	power supply	Sleep mod			
	ES	<i>1</i> 2	I3-13100T	64GB	1TB 2.5"	2TB	UMA	170W	Sleep			
P9	the information of the informati	rmation contain 's knowledge	ined in this do available at th mation provid ve for more in	cument. e time of ed here i formation	All info f comple s appro n.	rmation provi etion, and sup ximate and p	ided by sup oplier shall rovided for	nties whether explier in this docu have no obligati informational pu	ument is pro on to update	vided i	based	on
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO											

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M70q Gen 4	Logo
Model Number	12E3,12E4,12E5,12E6,12E7,12E8,12ES,12ET,12EU,12EV,12EW, 12EX,12EY,12F0,12KL,12KM	Lenovo
Issue Date	2023-1-4	
Additional information	ENERGY STAR; EPEAT; TCO; Greenguard	_

(d)	year of manufacture:				2022
e) f)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor enable	n switchable graphics n	node with UMA driving	the display.	, ,
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C	Category D (according to ErP Lot 3
	Memory over base [GB]	, ,		, , ,	64
capability adjustments applied during testing	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	No #: (Yes / No)
	Category of discrete graphics Card(s)				N/A
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				39.66
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				N/A
(g)	Idle state power demand (Watts);		L	I.	D: 13.61
(h)	Sleep mode power demand (Watts);				D: 2.71
(i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		D: 2.72
(j)	Off mode power demand (Watts);				D: 0.8
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		D: 0.91
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		

(m) External power supply efficiency (if applicable)*:

Average active efficiency:

*internal note: show values for all available external power supplies

ali avaliable external power	1	1			
Model	20% Load	50% Load	100% Load		
iii dadi	Efficiency	Efficiency	Efficiency	Average	
PA-1650-74FS	90.0237	89.305	87.7342	89.338	
ADP-65ME BA	92.1039	92.1096	91.3785	91.193	
A19-065N2A	88.918	89.079	880926	88.695	
PA-1900-74FS	88.2889	90.2293	89.58764	89.613	
ADP-90ME BA	88.28	90.70	90.29	90.02	
ADL135SLC3A	89.959	89.85	88.81	89.959	
ADL135SDC3A	91.240	90.23081	89.47	90.294	
ADL135SCC3A	89.97	92	91.17	91.25	

Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):

N/A

- (p-1) Measurement methodology used to determine information mentioned in points (I) internal PSU efficiency:
- (p-2) Measurement methodology used to determine information mentioned in points (m) external PSU efficiency: refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption
- (p-3) Measurement methodology used to determine information mentioned in points (o) loading cycles batteries:
- (p-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:

IEC 62623 Ed. 1.0, 2012-10

(q) Sequence of steps for achieving a stable condition with respect to power demand:

Based on Energy Star Computer V8.0/Power on->Wait 5 minutes->Stable condition(long idle)

(r) Description of how sleep and/or off mode was selected or programmed:

Based on user manual

Set the power plan

For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:

- turn off the display: After 10 minutes
- put the computer to sleep: After 25 minutes

To awaken the computer from Sleep mode, press any key on your keyboard.

To reset the power plan:

- 1. Right-click the battery status icon and select **Power Options**.
- 2. Choose or customize a power plan of your preference.

(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:

Based on user manual

Set the power plan

For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:

- · turn off the display: After 10 minutes
- · put the computer to sleep: After 25 minutes

To awaken the computer from Sleep mode, press any key on your keyboard.

To reset the power plan:

- Right-click the battery status icon and select Power Options.
- 2. Choose or customize a power plan of your preference.

(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another	25			
	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power	N/A			
	mode that has a lower power demand requirement than sleep mode (in minutes):				
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10			
(w)	Information on the energy-saving potential of power management functionality:				
	N/A				

(x) User information on how to enable the power management functionality:

Based on user manual

Enable or disable the ErP LPS compliance mode

Lenovo computers meet the eco-design requirements of the ErP Lot 3 regulation. For more information, go to:

https://www.lenovo.com/us/en/compliance/eco-declaration

You can enable the ErP LPS compliance mode to reduce the consumption of electricity when the computer is off or in sleep mode.

To enable or disable the ErP LPS compliance mode:

- 1. Restart the computer. When the logo screen is displayed, press F1 or Fn+F1.
- 2. Select Power → Enhanced Power Saving Mode and press Enter.
- 3. Depending on whether you select ${f Enabled}$ or ${f Disabled}$, do one of the following:
 - If you select Enabled, press Enter. Then, select Power → Automatic Power On and press Enter.
 Check whether the Wake on LAN feature is disabled automatically. If no, disable it.
 - If you select **Disabled**, press Enter. Then, go to the next step.
- 4. Press F10 or Fn+F10 to save the changes and exit.

When the ErP LPS compliance mode is enabled, you can wake up the computer by doing one of the following:

- · Press the power button.
- Enable the Wake Up on Alarm feature to make the computer wake up at a set time.

To meet the off mode requirement of ErP compliance, you need to disable the Fast Startup function.

- 1. Go to Control Panel and view by large icons or small icons.
- Click Power Options → Choose what the power buttons do → Change settings that are currently unavailable.
- ${\it 3. \ Clear the \ Turn\ on\ fast\ startup\ (recommended)\ option\ from\ the\ Shutdown\ settings\ list.}$

			Te	est voltage in V and fr	equency in Hz: 23	0V/50Hz		
	Instr.	Instrument	Instrument	Range Used	Make and Model ** CASIO; HS-70W; SN:301Q02R YOKOGAWA;WT310;SN:C2RD07008V Testo;622;SN:39504298/305		Calibratio	
	Code	I.D.	Туре	Or ***			Last	
		B63	Digital Watch	Full range			2022-08-28 2	
		B100	power Meter	0~600V;0~20A			2022-08-27 2	
		C18	Ambient Monitor	-10~60℃/0~100%RH			2022-09-27 2	
<u>ddition</u>	al Notel	book Batte			aceable	Battery[ies] user	renlaceable	n/a
Battery[ies] <u>not</u> user repla The battery[ies] in this product replaced by users themselves. ¹⁾				ery[ies] in this product	cannot be easily	Dattery[les] user	теріасеавіе	li/a
nternal/built-in Battery								
External/detachable Battery								
Bios Backup Battery								
Bios Bac	tup Dutt							

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

Lafles batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.