



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	)			
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	conforms to the statements given in this declaration.					
Type of product *	Edge Computing Device					
Commercial name *	ThinkEdge SE10					
Model number *	12NH,12NJ,12NK,12NL,12NM,12NN,12NQ,12NR,12NS,12NT,12NU,12NV,12NV,12NW,12NY,12NH,12NJ,1					
	2NK,12NL,12NM					
Issue date *	2023.3.15					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information	N/A					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	12NH,12NJ,12NK,12NL,12NM,12NN,12NQ,12NR,12NS,12NT,12NU,12NV,12N W,12NX,12NY,12NH,12NJ,12NK,12NL,12NM	Logo	Lenovo
Issue date *	2023.3.15		

Product environmental attributes - Legal requirements Requ						
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$				
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$	$\overline{}$			
	terphenyl (PCT) in preparations (see legal reference).		ш			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	$\square$				
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	$\boxtimes$				
	(see legal reference).					
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$				
	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$	Ш			
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference)  Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			_		
P2.2	reference)	$\boxtimes$	Ш	Ш		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\square$	П	П		
	The Declaration of Conformity can be requested at:					
	https://www.lenovo.com/us/en/compliance/eu-doc for EU;					
	https://www.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$				
	(see legal reference).					
	Required information is; given in item P15 or added to this document,	$\boxtimes$	Ш	Ш		
	available at: http://www.lenovo.com/ecodeclaration					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	$\boxtimes$				
P5.2*	hexavalent chromium by weight of these together.  The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		_	_		
r5.2	used (see legal reference).		Ш	Ш		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol	$\square$				
. 0.0	(see legal reference).		Ш	Ш		
	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	12NH,12NJ,12NK,12NL,12NM,12NN,12NQ,12NR,12NS,12NT,12NU,12NV,12N W,12NX,12NY,12NH,12NJ,12NK,12NL,12NM	Logo	Lenovo
Issue date *	2023.3.15		

Product	environmental attributes - Market requirements (See General NOTE GN below)					
	- Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design, Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$				
P7.2*	Plastic materials in covers/housing have no surface coating.			$\overline{\mathbb{X}}$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$				
P7.9	Spare parts are available after end of production for: 3 years					
P7.10	Service is available after end of production for: 3 years	-		$\overline{\Box}$		
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
	Material type: <b>aluminum</b> Material type: <b>SGCC</b> Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$			
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	i		$\boxtimes$		
	more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)	ı 📙				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			$\boxtimes$		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: bisphenol A/tetrabromobisphenol	$\square$				
	A/epichlorohydrin polymer, CAS #: 26265-08-7					
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	<del>-  -</del>	<del>  </del>			
P7.19	assigned the following Risk phrases; and Hazard statements:		Ш			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	12NH,12NJ,12NK,12NL,12NM,12NN,12NQ,12NR,12NS,12NT,12NU,12NV,12N W,12NX,12NY,12NH,12NJ,12NK,12NL,12NM	Logo	Lenovo
Issue date *	2023.3.15		

1 Toute	t environmental attributes - market requirements (continued)	Nequi	CILICI	it illet
Item		Yes	No	n.a.
	Material and substance requirements (continued)			
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):		$\boxtimes$	
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.	:		
	or b) The weight of the biobased plastic material is q.			
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg			
P8	Batteries			
D0 4*	Detterm the milet account the second the sec			$\overline{}$

	total plastic b		the biobased plastic ma	ateriai content (calcula	ated as a percentage of			
	or							
	b) The weight of the biobased plastic material is g.  Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
P7.22*								
P8	Batteries	specify: Number of lar	nps: and maximi	um mercury content pe	er lamp: mg			
P8.1*		composition: Lithium E	Rattony			$\overline{}$		
P9	, 1							
P9.1			s or energy consumption	ans are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy			
Liloigy iii	ouc	100 V AC	115 V AC	230 V AC	modes and test method *	ш		
Short Idle	)	6.11 W	6.29 W	6.51 W	Reference Measurement			
Networke	d Standby	4.55 W	4.64 W	4.67 W	Reference Measurement			
Sleep (S3	B) - WOL Enabled	1.69 W	1.77 W	1.95 W	Reference Measurement			
Sleep (S3	3) - WOL Disabled	1.69 W	1.77 W	1.95 W	Reference Measurement			
Off (S5) -	WOL Enabled	<b>0.37</b> W	<b>0.37</b> W	<b>0.40</b> W	Reference Measurement			
Off (S5) -	WOL Disabled	0.37 W	0.37 W	<b>0.40</b> W	Reference Measurement			
EPS No-lo		0.084 W	0.084 W	0.086 W				
(External power wall outlet but di	supply / charger plugged in the isconnected from the product.)							
PTEC *	,	W	W	W		$\boxtimes$		
Typical Er	nergy Consumption							
ETEC *		kWh/year	kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (P_{\text{off}} \times 0.45)$	$\boxtimes$		
Annual En	nergy Consumption				+ P <sub>sleep</sub> x 0.05 + P <sub>long_idle</sub> x 0.15+ P <sub>short_idle</sub> x 0.35)			
					Enabled; Pidle: Idle State - WOL Enabled			
External P	Power Supply Efficier	ncy Level (International	Efficiency Marking Pro	tocol) * :		$\boxtimes$		
Display re	solution * : m	egapixels				$\boxtimes$		
Default tim	ne to enter energy sa	ave mode: 10 minutes						
P9.2*	Information about	the energy save functi	on is provided with the	product.				
P9.3	Energy efficiency	class (monitors only):	VA .			$\boxtimes$		
P10	Emissions							
	Noise emission -	- Declared according to	ISO 9296 (See NOTE	B9)				
P10.1	Mode N	Mode description		Statistical upper lim	it A-weighted sound power level, $L_{WA,c}$	(B)		
	Idle *	HDD:Idle		* 2.4				
•	Operation *	HDD: Operating		* 2.4				
	Other mode L	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf Am}}$	16 (operator position	on desktop – idle)	_		
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	16.2 (operator posi	ition desktop – operating)			
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74	-1				
		Other	(only if not covered by	ECMA-74)				

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		12NH,12NJ,12NK,12NL,12NM,12NN,12NQ,12NR,12NS,12NT,12NU,12NV,12N W.12NX,12NY,12NH,12NJ,12NK,12NL,12NM	Logo	Lend	WO	
Issue date	e *	2023.3.15		Len		4
Product	environr	nental attributes - Market requirements (continued)		Require	ement	met
Item				Yes	No	n.a.
		nagnetic emissions				
P10.4	program		wing volur	ntary		
P12		nics for computing products				
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.			$\boxtimes$
P12.2*	1,7 1					
P13		ng and documentation				
P13.1*	Product Product Product	packaging material type(s): Corrugated Double Wall packaging material type(s): Corrugated Single Wall weight (kg): 0.133 packaging material type(s): Plastic-EPE weight (kg): 0.034 packaging material type(s): Plastic-LDPE weight (kg): 0.008				
P13.2*		plastic primary packaging is free from PVC.				
P13.3*	consume	fluct primary corrugated fiberboard packaging, specify the contained percentage $^{\rm o}$ er recovered fiber content: 90 $\%$	of minimu	m post-		
P13.4*		media for user and product documentation (tick box): ronic, ⊠Paper, ⊡Other				
P13.5	Ùser and	only complete this item if paper documentation used) I product documentation on paper media is chlorine-free: lease specify:				
	Element	hlorine-free al chlorine-free ed chlorine-free				
P14	Volunta	ry programs				
P14.1	The prod	duct meets the requirements of the following voluntary program(s):				
	Eco-labe	el: Criteria version: Date: Product ca	ategory:			
P15		nal information (See NOTE B10)				
P9		consumption of specific configuration may vary; description of the tested pro				
	the info supplied informa	Supplier makes no representations, guarantees, assurances or warranties whe rmation contained in this document. All information provided by supplier in the skinowledge available at the time of completion, and supplier shall have no o tion. The information provided here is approximate and provided for information trepresentative for more information.	is docume bligation	ent is provided to update sucl	based	l on

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

### Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot26 Information Sheet - Network Equipment -

### As required by\_

- Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off-mode electric power consumption of electrical and electronic household equipment (ErP Lot 6)
- Commission Regulation (EU) No 801/2013 of 22 August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for (ErP Lot 26).

### Products scope of this sheet:

Smart Speaker, Smart Router, Notebook/Tablet Computer < 6 W Idle

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkEdge SE10	Logo
Model Number	12NH,12NJ,12NK,12NL,12NM,12NN,12NQ,12NR,12NS,12NT,12N U,12NV,12NW,12NX,12NY,12NH,12NJ,12NK,12NL,12NM	Lenovo.
Issue Date	2023.3.15	
Additional information		

year of manufacture:	2023
Standby and off mode	T
Power consumption data	Network standby mode & off mode
Power in off Mode or similar mode	off mode: 0.40w
the measurement method used	EN 62623:2013 measurement methodology
a description of how the equipment mode was selected or programmed,	refer to power management, sleep mode:ACPI system level S3 state; off mode: ACPI system Level S5 state
the sequence of events leading to the condition where the equipment automatically changes modes,	refer to power management, 25 mins automatically reaches network standby mode.
any notes regarding the operation of the equipment, e.g. information on how the user switches the equipment into a condition having networked standby,	refer to power management, 25 mins automatically reaches network standby mode.
if applicable, the default time after which the power management function, or similar function, has switched the equipment into the applicable low power mode or condition;	NA

### (3) Network equipment, whether the equipment is networked equipment; which kind of networked equipment; specify whether the **HINA** equipment is HiNA equipment or equipment with HiNA functionalities. the number and type of network ports and, with the exception of wireless network ports, where these ports are located on the equipment; in particular it shall be 2 wired network ports declared if the same physical network port accommodates two or more types of network ports, whether all network ports are deactivated before No delivery, the default time after which the power management function, or a similar function, switches the equipment 10 Minutes into a condition providing networked standby the trigger that is used to reactivate the equipment press any key on keyboard the (maximum) power consumption of the equipment in a condition providing networked standby into which the power management function, or a similar function, will network standy mode: 1.95w switch the equipment, if only this port is used for remote activation, the communication protocol used by the equipment; refer to user manual (4) Test parameters for measurements, 25 °C ambient temperature, test voltage in V and frequency in Hz, AC 230V 50Hz total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, AC Source: Chroma 61601; Power Meter: Chorma-66202 set-up and circuits used for electrical testing Equipment characteristics, 1(c), or the requirements set out in points 2(c) and/or 2(d) and/or 3(b), as applicable, including the time taken to automatically reach standby, or off mode, or another condition which does not exceed the applicable power consumption requirements for off mode and/or standby In particular, if applicable, a technical justification shall be provided that the requirements set out in point 1(c), or test equipment comply with Lot 6 & 26 stardard the requirements set out in points 2(c) and/or 2(d) and/or 3(b), are inappropriate for the intended use of equipment. The need to maintain one or more network connections or to wait for a remotely initiated trigger is not considered a technical justification for exemption from the requirements set out in 2(d) in the case of equipment that is not defined as networked equipment by the manufacturer.'; (5) External power supply efficiency (if applicable)\*: Average active efficiency: 65W: 88.15%, 90.41% \*internal note: show values for all available external power supplies

(6) Measurement methodology used to determine information mentioned in points (5) – external PSU efficiency:

EN 50563:2011 measurement methodology

Additional information