

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		Lei Iovo.
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemer	nts given in this declaration.					
Type of product *	product * WorkStation					
Commercial name *	ThinkStation P3 Ultra SFF					
Model number *	30HA,30HB,30HC,30HD,30HE,30H9					
Issue date *	2023/3/27					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information	ES8.0, TCO9.0					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	30HA,30HB,30HC,30HD,30HE,30H9	Len			
Issue date *		2023/3/27	Len			
	t environ	mental attributes - Legal requirements	Require			
Item	·		Yes	No	n.a.	
P1		bus substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloro concent					
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH https://	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\square			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg	gal 🔀			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\square			
P3	Confor	nity verification & Eco design (ErP)		. —		
P3.1*	The proc The Dec <u>https://</u>	duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at: www.lenovo.com/us/en/compliance/eu-doc for EU ; www.lenovo.com/us/en/compliance/eu-doc for EU ;). 🔀			
P3.2*		duct complies with the Eco design requirements for energy-related products,	\boxtimes			
		al reference).				
	Require	d information is; 🛛 🛛 given in item P15 or added to this document,	\square			
	declara	tion				
P5		t packaging	· · ·			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	and 🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the materia are legal reference).	ll(s) 🔀			
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Proto al reference). nt: Legal reference has no maximum concentration values.	ocol 🔀			
P6		ent information				
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	30HA,30HB,30HC,30HD,30HE,30H9	Logo			
Issue dat	te *	2023/3/27		Leng	OVC	тн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Requirer		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*	<u> </u>	Disassembly, recycling at have to be treated separately are easily separable				
P7.2*					<u> </u>	
		naterials in covers/housing have no surface coating.			<u> </u>	
P7.3*	-	parts > 100 g consist of one material or of easily separable materials. parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.4*						
P7.5		parts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	is available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40			al type: PC			
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir an 25% post-consumer recycled content.	e retardants, ar	id 🗖		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 📃 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌	\square	
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\square	
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):	_	_	
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:				
		hemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18		lame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations	in		
	1. Chem 2. Chem	rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "				
	<u>Alt. 2: </u> Cł	hemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:			\square
P7.19	In plastic	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			
	assigned	the following Risk phrases; and Hazard statements:			_	
			ee note B5)			
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):		\square		
	a) Oft a po or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 28.95% . e weight of recycled material is 99 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	30HA,30HB,30HC,30HD,30HE,30H9	Logo	Lenovo			
Issue date *	2023/3/27		LEIIOVO			
Product environmental attributes - Market requirements (continued) Requirement met						

Item

Made states and a sub-

	Material and sub	stance requirements	(continued)					
P7.21*	1* Biobased plastic material content is used in the product (See NOTE B7):							
	If YES: at least on	e of the two alternative	s below shall be answe	ered:				
	a) Of total plasti	c parts' weight > 25 g,			ted as a percentage of			
	total plastic b	y weight) is %.						
	or b) The weight or	the highered plactic r	notorial ia a					
P7.22*		f the biobased plastic r	less than 0,1 mg/lamp.					
1 1.22		specify: Number of lan		um mercury content pe				
P8	Batteries	1 2	1					
P8.1*	Battery chemical c	omposition: Lithium N	letal					
P9	Energy consump	tion (See NOTE B8)						
P9.1	For the product the	e following power level	s or energy consumption	ons are reported:				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-	max)	314.12 W	313.44W	308.73 W	Full load			
Categor	Y							
	- State - WOL	43.57 W	42.44 W	43.25 W	ENERGY STAR Computers V8			
Enabled	State - WOL	43.57 VV	42.44 VV	43.25 VV	(P _{idle})			
Long Idle	State - WOL	26.8 W	23.97 W	24.86 W	ENERGY STAR Computers V8			
Enabled					(Pidie)			
				0.000				
Sleep (S3)	- WOL Enabled	2.83 W	2.76 W	2.78 W	ENERGY STAR Computers V8 (P _{sleep})			
Off (S5) - I	NOL Enabled	1.94 W	1.92 W	1.93 W	ENERGY STAR Computers V8 (Poff)			
EPS No-loa	ad	W	0.13 W	0.14 W				
(External power s	supply / charger plugged in the connected from the product.)							
PTEC *	connected from the product.)	21.79 W	20.81 W	21.28 W	ENERGY STAR Computers V8			
Typical En	ergy Consumption							
ETEC *		190.9 kWh/year	182.3 kWh/year	186.4 kWh/year	E _{TEC} = (8760/1000) x PTEC)			
Annual Ene	ergy Consumption							
External Po	ower Supply Efficier	icy Level (International	Efficiency Marking Pro	otocol) * : VI				
Display res	solution * : N/A meg	apixels	, ,	,				
		ive mode: 25 minutes						
P9.2*			on is provided with the	product				
P9.3		class (monitors only):		produot.				
P10	Emissions	class (monitors only).						
PIU		Declared according to	ISO 9296 (See NOTE	- B9)				
P10.1		Node description			t A-weighted sound power level, L_{WAG} (B)			
	Idle *	HDD:Idle		* 3.4	<u></u>			
	Operation *	HDD: Operating		* 3.7	——————————————————————————————————————			
	•	Declared A-weighted sound	d pressure level (dBL)(A)	23 (operator positio	n desktop – idle)			
		eclared A-weighted soun			n desktop – HDD operating)			
	-	ng to: 🔀 ISO 7779 🔀	ECMA-74					
		Other	(only if not covered by	ECMA-74)				
L								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm Yes No n.a.

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	30HA,30HB,30	HC,30HD,30HE,30H9				Logo				
Issue date *		2023/3/27					Lenovo			×.	
Product	environ	nental attribut	es - Market requiren	nents (con	tinued)			Re	quire	ment	met
ltem									Yes	No	n.a.
		nagnetic emissi									
P10.4	program	(s):	he requirement for low	frequency ele	ectromagnetic fiel	ds of the foll	owing volur	ntary			\square
P12		nics for comput									
P12.1*			onomic requirements o		•	•	gies.				\square
P12.2*	The phy	sical input device	meets the requirements	s of ISO 999	5 and ISO 9241-4	10.					\boxtimes
P13	Packagi	ng and docume	ntation								
P13.1*	Product Product Product	packaging materi packaging materi packaging materi	al type(s): Cardboard al type(s): Cardboard al type(s): PE al type(s): LEPE al type(s): Cardboard	weight (kg weight (kg) weight (kg) weight (kg) weight (kg): 0.144): 0.025): 0.151						
P13.2*			ackaging is free from PV						\mathbf{X}		
P13.3*	consum	er recovered fiber			fy the contained	percentage	of minimu	m post-			
P13.4*		media for user an ronic, ⊠Paper,	d product documentatio	n (tick box):							
P13.5	Úser an		s item if paper documer entation on paper media								
	Element	hlorine-free al chlorine-free							\boxtimes		
	Process	ed chlorine-free							\boxtimes		
P14		ry programs									
P14.1	The pro	duct meets the re-	quirements of the follow	ing voluntary	/ program(s):						
		Y STAR® bl: TCO9.0 bl:	Criteria version: 8.0 Criteria version: 9.0 Criteria version:		Date: 2023/1/7 Date: 2023/5/31 Date:	Product of	category: <mark>N</mark> category: <mark>N</mark> category:				
P15		nal information (See NOTE B10)								
P 9	Energy	consumption of	specific configuration no representations, gu							regard	dina
	the info supplie informa	rmation contain r's knowledge av tion. The inform	ed in this document. A vailable at the time of o ation provided here is for more information.	Il informatio completion, approximat	on provided by s and supplier sha	upplier in tl all have no	his docum obligation	ent is pro to update	vided e such	based	lon
P9	See Ene	ergy Star Qualifie	ed Notebooks & Table ov/index.cfm?fuseact	t Computers			o&pgw_co	de=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation P3 Ultra	Logo
Model Number	30HA,30HB,30HC,30HD,30HE,30H9	
Issue Date	2023/3/27	Lenovo
Additional information	ES8.0, TCO9.0	

d)	year of manufacture:				2022
(e) (f)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Catego enable	n switchable graphics n	node with UMA driving	g the display.	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			(according to En Early)	(according to Err Early
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
djustm ing tee	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete graphics Card(s) [number / #]	#: (Yes / No)	# <u>:</u> (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	I.		L	42.85
(h)	Sleep mode power demand (Watts);				NA
(i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		2.77
(j) Off mode power demand (Watts); NA					
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		1.91
(1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	

(m)	External power supply efficiency (if applicable)*:	
. ,	ADP-170DB BD: 50% 93.01% 100% 92.76% Average 92.53%	
	ADP-230JB BC: 50% 93.32% 100% 93.50% Average 92.84%	
	A170A003P-LN01: 20% 90.3% 50% 91.92% 100% 90.71% Average 91.14%	
	ADP-300BB TB: 50% 92.58% 100% 91.09% Average 91.73% PA-1301-01LA: 10% 86.38% 50% 92.79% 100% 91.71% Average 92.12%	
	PA-1171-20LA: 20% 91.24% 50% 91.65% 100% 91.62% Average 91.74%	
	PA-1231-20LA: 10% 82.79% 50% 93.01% 100% 93.14% Average 92.46%	
	A230A046P-LN01: 10% 84.54% 50% 93.21% 100% 92.71% Average 92.61%	
	*internal note: show values for all available external power supplies	
(0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	N/A
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: Generalized Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies Revision 6.6	
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: <i>N/A</i>	
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	IEC 62623 Ed. 1.0, 2012-10	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual/Begin menu -> Power -> Select sleep or off mode	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	Information on the energy-saving potential of power management functionality:	
	Based on user manual	
(x)	User information on how to enable the power management functionality:	
	Based on user manual	
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	230V, 50Hz, Total Harmonic Distortion <2 %	

Additional Notebook Battery Information:							
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery	\boxtimes						
Other:							
Additional information	•	•					

 1)

 The battery[ies] in this product cannot be easily replaced by users themselves.

 Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

 Las baterías de este producto no pueden ser sustituídas fácilmente por los propios usuarios.

 Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

 Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

 Dor Alkulja klava disego Brodukte konzulišnego pinke batteriet batteriet por user som Bonutzer cellet suprotupet upper

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paš inevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji fdan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.