

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	Yoga Slim 6 14IRP8 / Lenovo Slim 7 14IRP8					
Model number *	82WV/83A4					
Issue date *	2022/11/22					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🖾 Other NA					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	82WV/83A4 Logo			
Issue da	ate *	2022/11/22	Lenovo		
	t enviror	nmental attributes - Legal requirements	Require		
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*		is do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Comme	s do not contain Asbestos (see legal reference). ent: Legal reference has no maximum concentration value.			
P1.3*	hydrobr trichloro	ts do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- bethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum tration values.			
P1.4*	terphen	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).			
P1.5*	chain co	is do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	ith direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee gal reference). ent: Max limit in legal reference when tested according to EN1811:2011-5.	:k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\square$		
P2	Batterie				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\square$		
P2.2*	Batterie referenc	es or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega ce)	al 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	$\square$		
P3	Confor	mity verification & Eco design (ErP)			
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products,	$\square$		
	(see leg	jal reference).			
	Require	d information is; 🛛 🛛 given in item P15 or added to this document,	$\bowtie$		
		🔀 available at (add URL):			
		www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*	hexaval	ing and packaging components do not contain more than 0,01% lead, mercury, cadmium an lent chromium by weight of these together.			_
P5.2*	used (se	ckaging materials are marked with abbreviations and numbers indicating the nature of the material( ee legal reference).			
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc gal reference).	col 🔀		
	Comme	nt: Legal reference has no maximum concentration values			
P6		nt: Legal reference has no maximum concentration values.			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82WV/83A4	Logo	Lon	<b>~</b>	
Issue dat	te *	2022/11/22		Len		<b>)</b>
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b> P7.1*		Disassembly, recycling at have to be treated separately are easily separable		<u> </u>		
P7.2*					<u> </u>	<u> </u>
		naterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*	-	arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.	$\square$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools		$\square$		
P7.9	Spare pa	arts are available after end of production for: <b>3</b> years				
P7.10	Service i	is available after end of production for: <b>3</b> years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			al type: <b>POM</b>			
P7.12		type: PC+ABS+15%TALC Material type: PPA Material n materials of external electrical cables are PVC free.	al type: <b>PET</b>			
P7.12		n materials of external electrical cables are PVC free.			⊢⊢	<u> </u>
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) I	roming and 0 10/		<u> </u>	<u> </u>
P7.14		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam				
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine				
		an 25% post-consumer recycled content.				
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g _ ad in IEC 61249-2-21. (See 1NOTE B2)	-	า 🖂		
P7.16	Marking:			$\square$		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>DOPO CAS #:</b> 9920		$\boxtimes$		
	Alt 2. Cl	nemical specifications of flame retardants in printed circuit boards (without compor	ents) > 25 a			
		g ISO 1043-4: <i>FR(40)</i>				
					_	_
57.40						
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%:	es/preparations in			
		ical name: CAS #: 181028-79-5 (Bisphenol A diphosphate) (See NOTE B4)				
		ical name: , CAS #: "				
	3. Chem	ical name: , CAS #: "				
	Alt. 2: Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: <b>FR(40)</b>	$\square$		
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used whic			Ē	Ē
	assigned	the following Risk phrases; P273, P391, P501 and Hazard statements: H411				
	The sour	rce(s) for these classifications is/are found at (add URL(s)):				
	buroau/	https://susproc.jrc.ec.europa.eu/product- sites/default/files/contentype/product_group_documents/1581689805/Hazard	ous%20substan			
		criterion%20Explanatory%20Note.pdf, (See note B5)	543702030D3td11			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		$\square$		
		at least one of the two alternatives below shall be answered;				
		total plastic parts' weight > 25 g, the postconsumer recycled plastic material contents $r_{1}^{2}$	nt (calculated as			
	or	ercentage of total plastic by weight) is <b>16.85%</b> .				
		e weight of recycled material is 36.92g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	umber *	82WV/83	3A4			Logo	Lono	
Issue dat	te *	2022/11/	22				Leno	VO.
Product	t environr	nental at	tributes - Market r	requirements (conti	nued)	·	Requirer	nent met
Item				<b>*</b>	•		Yes N	lo n.a.
	Material	and subs	stance requirements	(continued)				
P7.21*	Biobase	d plastic m	aterial content is used	d in the product (See N	OTE B7):			
	a) Of t tota or	otal plastic Il plastic b		es below shall be answe , the biobased plastic m		ated as a percentag	e of	
P7.22*				less than 0,1 mg/lamp.				
			specify: Number of la	mps: and maxim	um mercury content pe	er lamp: mg		
P8	Batterie							
P8.1*			omposition: <i>Lithium i</i>	on				
P9.1	Energy For the r	product the	tion (See NOTE B8) following power leve	ls or energy consumption	ons are reported.			
Energy m			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test r		ду
Peak (On	-max)		65 W	65 W	65 W	Full load		
Catego	ry2							
Short Idle Enabled	e State - W	OL	5.48 W	5.45 W	5.58 W	ENERGY STAR (P <sub>idle</sub> )	Computers V8	3
Long Idle Enabled	e State - W	OL	0.53 W	0.53 W	0.53 W	ENERGY STAR (P <sub>idle</sub> )	Computers V	3
Sleep (S3	3) - WOL D	isabled	0.53 W	0.53 W	0.53 W	ENERGY STAR	Computers V&	3
Off (S5) -	WOL Disa	bled	0.32 W	0.32 W	0.32 W	ENERGY STAR	Computers V8	3
EPS No-lo (External power	oad r supply / charger lisconnected from	plugged in the	0.023 W	0.023 W	0.023 W			
PTEC *	nergy Cons		W	W	W			$\square$
ETEC *	nergy Cons		<b>17.19</b> kWh/year	17.11 kWh/year	<b>17.48</b> kWh/year	E <sub>TEC</sub> = (8760/100 + P <sub>sleep</sub> x 0.35 + P <sub>short Idle</sub> x 0.30)	P <sub>long_Idle</sub> x 0.10	
				OL Enabled; Psleep: Sleep		ed; Pidle: Idle State -	WOL Enabled	
			, ,	I Efficiency Marking Pro	otocol) * : VI			
			00 megapixels					
		0,	ive mode: 10 minutes					
P9.2*				ion is provided with the	product.	1		
P9.3	Energy e	efficiency of	class (monitors only):					$\square$
P10	Emissio		Declared according t		- D0)			
P10.1	Moise ei Mode		Iode description	o ISO 9296 (See NOTE	Statistical upper lim	it A-weighted sound	hower level /	
1 10.1	Idle		System Idle		* 3.02	it A-weighted sound		
	Operatio	n *	Operation		* 4.45			
	Other me	ode 🛛	eclared A-weighted sour	nd pressure level (dB) $L_{p{\sf Ar}}$	m 26.2 (operator posi	tion desktop – idle)		
			eclared A-weighted soun	nd pressure level (dB) $L_{p{ m Ar}}$	m 40.5 (operator posi	tion desktop – opera	ting)	
	Measure	d accordir	ng to: 🔀 ISO 7779 🗌 Other	ECMA-74 (only if not covered by	r ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	umber *	82WV/83A4				Logo	Lone		
lssue dat	te *	2022/11/22				Leno	Lenovo		
Product	t environi	nental attribut	es - Market requirements (cont	tinued)			Require		me
tem							Yes	No	n.a
		magnetic emissi							
P10.4	program	(s): MPR-II(3 pir	the requirement for low frequency ele AC adapter only)	ectromagnetic f	ields of the follo	owing volunt	ary 🔀		
P12	Ergono	mics for compu	ting products						
P12.1*			gonomic requirements of ISO 9241-30			gies.	$\square$		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packaging and documentation								
P13.1	Product Product Product Product	packaging mater packaging mater packaging mater packaging mater	ial type(s): <i>Multi layer corrugated c</i> ial type(s): <i>Single layer corrugated</i> ial type(s): <i>Polyethylene Cushions</i> ial type(s): <i>PET</i> ial type(s): <i>Tracing paper</i> ial type(s): <i>kraft paper</i>		weight (kg): 0 weight (kg): 0 weight (kg): weight (kg): weight (kg): weight (kg):	0.0275 0.079 0.014 0.005			
P13.2*			ackaging is free from PVC.		0 (0)		$\boxtimes$		
P13.3*	For pro	duct primary cor er recovered fibe	rugated fiberboard packaging, specif r content: <b>84</b> %	fy the containe	ed percentage	of minimum			
P13.4*	Specify		nd product documentation (tick box):						
P13.5	Ùser an If Yes, p Totally c Element		is item if paper documentation used) entation on paper media is chlorine-fr	ee:					
P14		ry programs							
P14.1			equirements of the following voluntary	program(s):					
	Eco-lab Eco-lab		Criteria version: <b>1680.1-2018</b> Criteria version:	Date: Date: Date:	Product o Product o Product o				
P15		nal information	· · ·						
P9 P9	NOTE: informat knowled provided informat See Ene	Supplier makes n ion contained in ge available at th here is approxir ion. ergy Star Qualifie	f specific configuration may vary; of o representations, guarantees, assura- this document. All information provide the time of completion, and supplier shate and provided for informational pu- d Notebooks & Tablet Computers for v/index.cfm?fuseaction=find a produ	ances or warra ed by supplier i hall have no ob urposes only. S the latest infor	nties whether on n this documen ligation to upda See a Lenovo A mation:	express or in it is provided te such info account Rep	nplied, regardin I based on supp rmation. The inf	olier's ormat	ion

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Slim 6 14IRP8 / Lenovo Slim 7 14IRP8	Logo
Model Number	82WV/83A4	
Issue Date	2022/11/22	Lenovo
Additional information		

P7.1.1	Product environmental attributes								
(d)	Year of manufacture:								
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]	16							
ents ting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
cap app	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)	NO							
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.92							
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
(g)	Idle state power demand (Watts);		l		3.712				
(h)	Sleep mode power demand (Watts);				0.624				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA				
(j)	Off mode power demand (Watts);				0.307				
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA				
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):					
	10% 20% 50%	100% Avera	age						
(m)	External power supply efficiency (if appli	cable)*:							
	Average active efficiency: 85.76%, 85.		%,84.64%						
(0)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	300 cycles				
(p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – in	nternal PSU efficiency:					

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3) Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:						
	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode					
	IEC 62623						
(q) Sequence of steps for	or achieving a stable condition with respect to power	demand::					
	Power on -> Wait 5 minutes ->Stable con	ndition					
(r) Description of how s	eep and/or off mode was selected or programmed:						
	Begin menu -> Power -> Select sleep or o	ff mode					
(s) Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
	NA						
	te condition before the computer automatically re		30min				
(u) Length of time after	a period of user inactivity in which the compute	r automatically reaches a power	NA				
(v) Length of time befo	ver power demand requirement than sleep mode (in ore the display sleep mode is set to activate after	user inactivity (in minutes):	10min				
(w) Information on the er	nergy-saving potential of power management function	nality:					
	Refer to User Guide						
(x) User information on	now to enable the power management functionality:						
	Refer to User Guide						
	measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits					
Additional Notebook Batter							
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>						
Internal/built-in Battery	$\boxtimes$						
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							
as baterías de este producto no pueden s Jýměnu baterie/baterií v tomto výrobku by Brugeren kan ikke uden videre udskítte bat Der Akku/die Akkus dieses Produkts kann// Kasutajad ei saa selle toote akut/akusid ise h µmrarqü[c]c] orn projów ouró čev µmrop La/les batterie(s présente(s) dans ce produ Korisnik ne može lako zamijeniti Bateriju sa a batteria/le batterie in questo prodotto no Lietotāji paši nevar nomainīt šā ražojuma a Šio gaminio baterijos (bateriju) pats vartoto A termék akkumulátorát/akkumulátoráti a fe I-batterija/batteriji f dan il-prodott ma tistax/ Batteriet [ene] i dette produktet kan ikke let De batterij(en) in dit product is (zijn) door d Jzytkownik nie može sam w łatwy sposób	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los projos usuarios. neměli provádět sami uživatelé. teriet/batterierne i dette produkt. können nicht ohne weiteres vom Benutzer selbst ausgetauscht w hölpsasti asendada. oúv vα αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu um u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). las negali lengvai pakeisti. bihasználó nem tudja egyedül egyszerűen kicserélni. jistgħux tiġ/jíġu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar.	verden.					

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.